

STATE OF CONNECTICUT

ONE HUNDRED AND THIRTY-SIXTH
REGISTRATION REPORT

of

Births, Marriages, Divorces and Deaths

for the

YEAR ENDED DECEMBER 31, 1983

Issued by
THE STATE DEPARTMENT OF HEALTH SERVICES
HARTFORD

Published by the State

Price \$10.00

DEPARTMENT OF HEALTH SERVICES

HARTFORD, May 30, 1985

To His Excellency, William A. O'Neill, Governor of the State of Connecticut:

Sir:

In compliance with the laws of the State, I have the honor to present to you the one hundred and thirty-sixth report, relating to the births, marriages, divorces and deaths that were registered in Connecticut in the year 1983.

Very respectfully,
DOUGLAS S. LLOYD, M.D., M.P.H.
Commissioner of Health Services

Douglas S. Lloyd, M.D., M.P.H.
Commissioner of Health Services
Sir:

I have the honor to submit herewith the annual registration report for the year 1983, prepared by the Statistical Analysis Unit of the Division of Health Statistics. At this time I wish to express my appreciation of the work performed by the unit staff in preparing this report.

CHRISTINE PATTEE, Dr. P.H.
Acting Chief, Statistical Analysis Unit
Staff Director, Vital Records

ROSALIND S. BENNETT, B.S.
Research Analyst, Statistical Analysis Unit

MERTON S. HONEYMAN, Ph.D.
Acting Registrar

CONTENTS

Vital Statistics for 1983	Page
Summary for Year	4
Population Estimate, 1983	4
Births	5
Fetal Deaths	5
Deaths	5
Leading Causes of Death	5
Infant Mortality	6
Marriages	6
Divorces	6

TABLES

Table No.		
1	Population Estimate, 1983, by age and sex	7
2	Estimate of population and vital statistics by towns of residence	8
3	Live births, Connecticut residents by age of mother	14
4	Live births to residents of Connecticut towns by race, low birthweight and maternal age	15
5	Fetal deaths occurring in Connecticut	28
6	Causes of fetal deaths occurring in Connecticut	29
7	Causes of death, Connecticut residents	30
8	Causes of death among nonwhites	34
9	Deaths under one year of age (infants)	38
10	Selected causes of infant deaths	42
11	Leading causes of death by age groups	48
12	Number of present marriage for brides and grooms	50
13	Previous marital status of brides and grooms	50
14	Dissolution of marriages	51
15	Children under 18 involved in dissolution of marriages	51
16	Duration of marriages dissolved in 1983	51
	Glossary	52
	Rates, calculation of	53

REGISTRATION REPORT OF VITAL STATISTICS IN CONNECTICUT

The Annual Registration Report of Vital Statistics, 1983, is a statistical summary of vital events for the State of Connecticut. Presented are data pertaining to births, deaths, marriages, and divorces.

Certain qualifications must be made with regard to the data contained herein, and should be kept in mind when examining data sets:

A. Completeness of Registration

The Connecticut Department of Health Services reciprocates with other states and the provinces of Canada in exchanging copies of birth and death records for non-residents. Registration of births in Connecticut is 99.9% complete and there is virtually no underreporting of deaths. Because there is no interstate transfer of marriage, divorce and fetal death records, it is not possible to determine the completeness of registration of these events to Connecticut residents.

B. Comparability of Cause-of Death Data

The system for classifying causes of death, the International Classification of Diseases (ICD), is revised every ten years to reflect changes in medical practices and new medical knowledge. Each revision results in a degree of discontinuity in cause-of-death statistics. A ratio of comparability must be used to adjust for changes in classification from one ICD revision to another. Causes of death in 1983 were coded using the ninth revision of the ICD which became effective in 1979.

C. Comparison of Rates

Caution should be used in drawing conclusions based on rates which are calculated from small numbers of events or for small geographic areas. Because these rates may vary considerably, use of them for comparison purposes or for estimating future events will be limited.

D. For Future Information

Further information can be obtained by contacting the Statistical Analysis Unit of the Division of Health Statistics, 150 Washington Street, Hartford, Connecticut 06106, Telephone numbers 566-5451 or 566-8515.

POPULATION

The estimated population of Connecticut as of July 1, 1983 was 3,137,340. This reflects a natural increase (difference between births and deaths) of 13,927, and a net out-of-Connecticut migration of 3,317. The population estimated for 1983 is an increase of 0.34% over the previous year. The population of each town in Connecticut is estimated yearly using the preceding U.S. decennial census as a base line. Changes are calculated according to known births and deaths and migration as estimated by school enrollment and housing unit changes.

BIRTHS

In 1983 the number of resident live births was 41,056. This represents an increase of 424 from 1982 and an increase in the birth rate from 13.0 to 13.1 per 1,000 population. There were 1,083 births to Connecticut residents occurring out of state, 2.6% of the total births. There were 4,077 births to teenage mothers (19 years of age or less). This was 9.9% of all births, a decrease from 10.7% in 1982.

Fetal Deaths

The fetal death ratio decreased in 1983 with a total count of 265 or 6.5 deaths per 1,000 live births occurring in Connecticut compared to 307 deaths and a ratio of 7.6 in 1982.

DEATHS

The number of registered deaths among Connecticut residents for 1983 was 27,129, for a crude rate of 8.6 per 1,000 population. Of the total number of resident deaths, 13,940 were males and 13,189 were females.

Of the total resident deaths, the greatest number occurred among persons 80 years of age or over. Deaths in this age group numbered 9,711 in 1983, or 35.8% of the total number of resident deaths. The median age at death was 74.8. Death for females occurred at an older age than males, a median of 78.6, compared to median of 71.2, respectively.

Leading Causes of Death

In 1983, as in 1982, the five leading causes of death, in the order of their proportional share of the total number of deaths, were diseases of the heart, malignant neoplasms, cerebrovascular disease, accidents, and influenza and pneumonia. The leading cause of death of the age group 1 to 44 was accidents. Between 45 and 64 years of age, the leading cause was malignant neoplasms and for 65 years and over it was diseases of the heart.

Diseases of the Heart

Heart diseases accounted for 10,362 resident deaths in 1983, for a total proportional share of 38.2%. This is a decrease from the 38.8% proportional share in 1982. The median age at death from heart disease was 77.7. Acute myocardial infarction claimed a 32.8% share of total heart disease mortality with a 38.4% share attributed to other ischemic heart disease. Median age at death from myocardial infarction was 74.0; for other ischemic heart disease, median age was 81.0.

Malignant Neoplasms

There were 6,560 deaths attributed to malignant neoplasms in 1983, a proportional share of 24.2% of all resident mortality. The median age at death due to cancer was 70.5. Malignant neoplasms of the digestive organs accounted for 26.8% of all deaths in this category. This site is followed by malignant neoplasms of the respiratory system (24.8%), of the genitourinary system (15.5%), of the breast (9.6%) and of the lymphatic and hematopoietic tissue (8.8%).

Cerebrovascular Disease

Cerebrovascular disease was responsible for 1,924 resident deaths in Connecticut. This cause of death had a proportional share of 7.1% of total resident deaths, a decrease from 1982. The median age at death from cerebrovascular disease was 81.4.

Accidents

A total of 970 accidents, of all types, accounted for 3.6% of all resident deaths in 1983. Of this total 39.2% was attributed to resident motor vehicle accidents. Almost half (47.9%) of all motor vehicle deaths occurred to those 24 years of age and less. The leading cause of non-motor vehicle accidents was falls, which had a 14.5% share of the total accidents.

Influenza and Pneumonia

There were 839 deaths from these causes; amounting to 3.1% of all resident deaths. The crude mortality rate per 100,000 population was 26.7.

Infant Deaths

There were 412 resident infant deaths in Connecticut in 1983, a rate of 10.0 per 1,000 live births, compared to the previous year's total of 443, or 10.9 deaths per 1,000 live births. From 1982, this represents a decrease in infant deaths of 8.3%. Connecticut was under the national rate of 10.9 infant deaths per 1,000 live births. Of all resident infant deaths, 46.4% occurred within the first day of life, 65.3% within the first week and 76.9% within the first month. Neonatal deaths showed an 7.8% decrease from 344 in 1982 to 317 in the current year.

MARRIAGES

Marriages occurring in Connecticut totaled 26,844 in 1983, virtually the same as the previous year. The current year's total represents a marriage rate of 15.2 persons marrying per 1,000 population compared to 15.3/1,000 in 1982. The median age at marriage for grooms was 27.8, and for brides, 25.6 increase from 1982 when the median age for grooms was 27.4 and for brides 25.2.

MARRIAGE DISSOLUTIONS

There were 12,027 marriages dissolved in Connecticut during 1983, for a marriage dissolution rate of 7.7 persons per 1,000 population. The current rate is a decrease of 6.1% over the previous year.

Duration of Marriage

The median duration of those marriages which terminated in 1983 was 8.2 years, the same as the median duration in 1982 of 8.2 years.

TABLE 1-POPULATION ESTIMATES BY AGE AND SEX: CONNECTICUT
AS OF JULY 1, 1983

<u>AGE GROUP</u>	<u>MALE</u>	<u>FEMALE</u>	<u>TOTAL</u>
TOTAL	1,509,960	1,627,380	3,137,340
*Under 1 yr.	20,633	19,999	40,632
0- 4	99,160	95,060	194,220
5- 9	96,280	92,050	188,330
10-14	118,810	114,190	233,000
15-19	137,640	133,050	270,690
20-24	134,280	135,810	270,090
25-29	128,230	131,230	259,460
30-34	122,530	124,870	247,400
35-39	111,110	119,000	230,110
40-44	89,920	96,020	185,940
45-49	75,950	81,150	157,100
50-54	79,810	85,680	165,490
55-59	83,400	90,920	174,320
60-64	76,340	86,280	162,620
65-69	60,930	74,510	135,440
70-74	41,870	59,630	101,500
75-79	27,260	45,410	72,670
80-84	14,900	31,590	46,490
85 & over	11,540	30,930	42,470
Median age	31.7	34.5	33.1
65+	156,500	242,070	398,570

*Births of the preceding calendar year.

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1983

Column Number	Population estimated as of July 1, 1983	Place of Occurrence				Place of Residence												RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages		Live Births	Deaths	Persons Marrying		
						Total		Out-of-Wedlock		All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite				Groom	Bride
						All Races	Nonwhite	All Races	Nonwhite											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			
CONNECTICUT	3,137,340	40,953	265	27,266	26,844	41,056	5,723	8,271	3,347	257	70	27,129	1,477	23,264	24,394	13.1	8.6	15.2		
HSA I, Southwestern	630,600	8,509	69	5,425	5,450	7,831	1,749	1,928	1,055	64	34	5,670	459	4,303	4,670	12.4	8.8	14.2		
Bridgeport	142,670	4,356	40	2,313	1,062	2,661	865	1,177	599	34	19	1,550	210	1,164	1,171	18.7	10.9	16.4		
Darien	18,890	-	-	78	220	179	1	7	-	1	-	161	1	75	119	9.5	8.5	10.3		
Easton	6,100	-	-	8	59	47	2	2	-	-	-	37	-	33	42	7.7	6.1	12.3		
Fairfield	55,100	1	-	279	475	514	11	42	3	3	-	531	1	328	363	9.3	9.6	12.5		
Greenwich	59,560	921	5	520	578	464	22	23	6	1	-	523	7	313	370	7.8	8.8	11.5		
Monroe	14,550	-	-	16	80	147	6	7	-	-	-	65	1	74	82	10.1	4.5	10.7		
New Canaan	18,180	-	-	72	224	120	1	3	-	1	-	142	5	87	133	6.6	7.8	12.1		
Norwalk	78,390	1,436	5	844	641	1,113	295	248	174	3	2	671	87	695	668	14.2	8.6	17.4		
Stamford	103,360	1,792	19	914	893	1,426	467	318	238	18	12	923	115	817	842	13.8	8.9	16.1		
Stratford	50,610	-	-	160	411	527	59	77	30	1	-	513	26	313	383	10.4	10.1	13.8		
Trumbull	33,100	-	-	105	300	277	13	11	5	1	1	254	2	162	199	8.4	7.7	10.9		
Weston	8,510	1	-	11	99	64	3	-	-	-	-	38	-	46	52	7.5	4.5	11.5		
Westport	25,710	-	-	74	295	171	3	6	-	1	-	174	4	131	161	6.7	6.8	11.4		
Wilton	15,870	2	-	31	113	121	1	7	-	-	-	88	-	65	85	7.6	5.6	9.5		
HSA II, South Central	600,830	8,283	52	6,043	4,763	7,892	1,355	1,802	881	45	9	5,492	352	4,467	4,604	13.1	9.1	15.1		
Ansonia	19,010	1	-	26	128	281	29	49	18	4	1	204	14	130	130	14.8	10.7	13.7		
Bethany	4,390	-	-	1	24	50	2	4	1	1	-	24	2	31	29	11.4	5.5	13.7		
Branford	23,900	1	-	774	197	312	7	40	2	1	-	216	2	217	199	13.1	9.0	17.4		
Derby	12,280	653	3	401	113	163	1	32	-	-	-	117	-	97	98	13.3	9.5	15.9		
East Haven	24,990	2	-	32	185	272	2	32	-	-	-	234	-	200	219	10.9	9.4	16.8		
Guilford	18,000	-	-	71	159	240	6	11	-	1	-	118	1	121	127	13.3	6.6	13.8		
Hamden	50,960	1	-	203	336	533	56	63	23	3	-	503	14	303	347	10.5	9.9	6.8		
Madison	14,250	1	-	47	102	131	-	11	-	1	-	117	-	58	76	9.2	8.2	9.4		
Meriden	57,740	963	7	649	486	831	53	160	30	9	-	546	7	485	510	14.4	9.5	17.2		
Milford	50,970	467	2	358	460	641	24	60	8	1	-	432	5	420	418	12.6	8.5	16.4		
New Haven	126,360	6,187	40	2,623	1,160	2,096	1,019	1,070	738	13	5	1,347	277	959	954	16.6	10.7	15.1		
North Branford	11,810	-	-	12	84	137	1	12	1	-	-	61	1	71	80	11.6	5.2	12.8		
North Haven	22,100	-	-	40	151	193	13	11	4	2	-	169	1	132	148	8.7	7.7	12.7		

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1983

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1983																		
Column Number	Population estimated as of July 1, 1983	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages		Live Births	Deaths	Persons Marrying
						Total	Out-of-Wedlock	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
HSA II, South Central																		
Cont'd.																		
Orange	13,190	-	-	24	122	97	5	5	-	1	-	103	1	58	81	7.4	7.8	10.5
Oxford	6,800	-	-	7	53	91	2	8	-	1	-	28	1	40	60	13.4	4.1	14.7
Seymour	13,480	-	-	10	89	170	-	22	-	-	-	96	-	118	121	12.6	7.1	17.7
Shelton	32,220	3	-	138	197	414	16	47	3	1	-	246	2	204	207	12.9	7.6	12.8
Wallingford	37,410	1	-	211	307	440	7	34	-	2	-	366	1	297	282	11.8	9.8	15.5
West Haven	53,180	3	-	399	333	734	111	125	53	4	3	517	23	481	460	13.8	9.7	17.7
Woodbridge	7,790	-	-	17	77	66	1	6	-	-	-	48	-	45	58	8.5	6.2	13.2
HSA III, Eastern																		
Ashford	3,250	-	-	2	37	45	1	5	-	1	-	14	-	28	32	13.9	4.3	18.5
Bozrah	2,160	-	-	1	18	19	-	1	-	-	-	18	-	9	11	8.8	8.3	9.3
Brooklyn	5,930	1	-	24	55	55	-	10	-	-	-	52	2	47	35	9.3	8.8	13.8
Canterbury	3,510	1	-	4	22	49	-	6	-	1	-	26	-	29	32	14.0	7.4	17.4
Chaplin	1,840	-	-	1	7	23	-	5	-	-	-	16	-	12	13	12.5	8.7	13.6
Chester	3,050	1	-	36	51	43	-	-	-	-	-	42	-	31	34	14.1	13.8	21.3
Clinton	11,440	-	-	21	78	169	-	16	-	-	-	76	-	87	94	14.8	6.6	15.8
Colchester	7,970	2	-	66	55	148	5	12	2	1	-	80	3	75	68	18.6	10.0	17.9
Columbia	3,510	-	-	6	43	40	1	1	-	1	-	36	1	32	29	11.4	10.3	17.4
Coventry	9,050	2	-	9	71	149	3	15	-	-	-	41	2	86	77	16.5	4.5	18.0
Cromwell	10,490	-	-	37	86	137	6	3	1	-	-	84	3	89	93	13.1	8.0	17.4
Deep River	4,010	-	-	-	3	54	-	1	-	1	-	31	1	22	20	13.5	7.7	10.5
Durham	5,200	-	-	4	47	57	-	3	-	2	-	26	-	35	30	11.0	5.0	12.5
Eastford	1,040	1	-	4	3	13	-	2	-	-	-	11	-	12	11	12.5	10.6	22.1
East Haddam	5,840	2	-	14	53	90	-	5	-	1	-	52	1	46	43	15.4	8.9	15.2
East Hampton	8,650	1	-	21	77	149	3	5	-	-	-	54	-	78	75	17.2	6.2	17.7
East Lyme	14,210	-	-	15	149	155	6	12	-	-	-	116	-	100	115	10.9	8.2	15.1
Essex	5,090	1	-	50	79	44	1	2	-	-	-	72	-	41	38	8.6	14.2	15.5
Franklin	1,620	-	-	2	14	23	-	2	-	-	-	10	-	11	9	14.2	6.2	12.4
Griswold	9,200	-	-	33	66	165	4	33	1	1	-	84	1	88	93	17.9	9.1	19.7
Groton	40,930	941	4	154	428	893	83	81	15	2	-	236	8	416	366	21.8	5.8	19.1
Haddam	6,470	1	-	12	55	78	2	4	-	-	-	47	-	40	45	12.1	7.3	13.1

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1993

ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1993																				
Column Number	Population estimated as of July 1, 1983	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION				
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages		Live Births	Deaths	Persons Marrying		
						Total		Out-of-Wedlock		All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite				Groom	Bride
						All Races	Nonwhite	All Races	Nonwhite											
1		2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18		
HSA III, Eastern Cont'd.																				
Hampton	1,390	-	-	1	8	24	1	5	-	-	-	9	-	10	11	17.3	6.5	15.1		
Killingly	14,800	-	-	131	177	233	2	47	1	1	-	133	2	121	139	15.7	9.0	17.6		
Killingworth	4,070	-	-	4	37	54	1	4	-	-	-	33	-	28	34	13.3	8.1	15.2		
Lebanon	4,910	1	-	2	49	74	1	3	-	-	-	22	-	42	37	15.1	4.5	16.1		
Ledyard	14,090	-	-	10	115	239	9	20	3	1	-	51	3	127	141	17.0	3.6	19.0		
Lisbon	3,370	-	-	2	13	22	1	3	-	-	-	22	-	27	32	6.5	6.5	17.5		
Lyme	1,640	-	-	NO REPORT		17	-	3	-	-	-	17	-	11	12	9.2	9.2	12.5		
Mansfield	20,740	-	-	12	113	122	15	11	-	-	-	59	2	93	99	5.9	2.8	9.3		
Middlefield	3,830	-	-	NO REPORT		40	-	2	-	-	-	23	-	24	21	10.4	6.0	11.8		
Middletown	38,770	970	6	697	348	503	69	70	32	4	1	341	17	340	336	13.0	8.8	17.4		
Montville	16,620	2	-	10	128	248	8	27	-	1	-	90	-	148	176	14.9	5.4	19.5		
New London	29,600	1,385	5	621	475	491	126	145	72	4	2	286	25	288	266	16.6	9.7	18.7		
North Stonington	4,280	-	-	4	39	49	2	3	-	-	-	27	-	32	27	11.5	6.3	13.8		
Norwich	38,430	1,134	7	711	464	668	43	144	21	4	-	422	15	449	446	17.4	11.0	23.3		
Old Lyme	6,310	1	-	23	88	56	-	5	-	1	-	68	-	38	52	8.9	10.8	14.3		
Old Saybrook	9,460	-	-	86	108	90	4	8	1	-	-	105	1	62	69	9.5	11.1	13.9		
Plainfield	13,000	-	-	45	92	199	1	37	-	-	-	113	-	106	109	15.3	8.7	16.5		
Pomfret	2,780	3	-	4	44	34	-	5	-	-	-	15	-	14	19	12.2	5.4	11.9		
Portland	8,420	1	-	45	109	78	4	3	-	-	-	51	1	70	77	9.3	6.1	17.5		
Preston	4,680	-	-	14	44	28	-	3	-	-	-	38	-	21	21	6.0	8.1	9.0		
Putnam	8,790	680	4	245	66	111	2	23	-	1	-	103	1	76	82	12.6	11.7	18.0		
Salem	2,440	-	-	3	13	39	-	1	-	-	-	10	-	18	21	16.0	4.1	16.0		
Scotland	1,100	3	-	2	10	13	-	2	-	-	-	6	-	8	6	11.8	5.5	12.7		
Sprague	3,050	-	-	10	30	61	-	8	-	1	-	39	-	24	34	20.0	12.8	19.0		
Sterling	1,800	-	-	3	20	22	-	4	-	-	-	25	1	12	15	12.2	13.9	15.0		
Stonington	16,090	-	-	40	218	199	5	18	3	2	-	159	-	92	107	11.8	9.4	11.6		
Thompson	8,260	1	-	19	92	119	4	20	4	1	-	63	-	51	55	14.4	7.6	12.8		
Union	540	-	-	1	8	3	-	-	-	-	-	3	-	3	2	5.6	5.6	9.3		
Voluntown	1,670	-	-	2	15	28	-	2	-	-	-	15	-	15	11	16.8	9.0	15.6		
Waterford	17,940	1	-	137	130	164	8	20	-	-	-	175	4	141	168	9.1	9.8	17.2		
Westbrook	5,240	1	-	16	65	69	2	4	-	2	-	44	1	53	57	13.2	8.4	21.0		

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1983

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1983																		
Column Number	Population estimated as of July 1, 1983	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages		Live Births	Deaths	Persons Marrying
						Total	Out-of-Wedlock		All Races	Nonwhite	All Races	Nonwhite	Groom	Bride				
							All Races	Nonwhite							All Races			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
HSA III, Eastern Cont'd.																		
Willington	4,790	-	-	9	26	79	3	8	-	-	-	13	-	34	42	16.5	2.7	15.9
Windham	21,030	438	3	295	159	319	14	84	7	3	-	230	2	172	186	15.2	10.9	17.0
Woodstock	5,210	1	-	10	36	63	-	3	-	-	-	43	-	30	39	12.1	8.3	14.8
HSA IV, North Central																		
Andover	2,250	-	-	1	16	48	1	3	-	-	-	9	1	19	14	21.3	4.0	14.7
Avon	11,670	1	-	59	110	117	6	5	-	2	-	87	-	63	68	10.0	7.5	11.2
Berlin	15,290	1	-	50	119	149	2	11	1	-	-	143	-	89	105	9.7	9.4	12.7
Bloomfield	19,010	-	-	100	153	165	72	35	28	3	3	182	26	133	148	8.7	9.6	14.8
Bolton	4,080	-	-	6	44	46	-	2	-	-	-	24	-	38	34	11.3	5.9	17.7
Bristol	57,860	776	5	395	529	790	35	108	15	4	-	439	5	516	535	13.7	7.6	18.2
Burlington	5,930	-	-	7	62	75	-	2	-	-	-	32	-	41	40	12.7	5.4	13.7
Canton	7,780	2	-	10	43	117	2	4	-	1	-	46	-	62	70	15.0	5.9	17.0
East Granby	4,160	-	-	5	19	50	-	2	-	1	-	23	-	30	26	12.0	5.5	13.5
East Hartford	52,230	1	-	164	354	580	62	89	15	5	5	457	3	422	455	11.1	8.8	16.8
East Windsor	8,930	-	-	56	125	112	4	9	-	-	-	92	4	101	90	12.5	10.3	21.4
Ellington	9,900	-	-	8	89	138	1	6	-	-	-	58	-	85	92	13.9	5.9	17.9
Enfield	42,630	-	-	134	399	555	16	72	5	-	-	264	2	290	325	13.0	6.2	14.4
Farmington	16,800	626	8	316	184	187	9	9	2	1	-	125	1	119	145	11.1	7.4	15.7
Glastonbury	25,040	-	-	73	242	252	8	17	-	1	-	175	-	143	186	10.1	7.0	13.1
Granby	8,130	-	-	15	51	131	2	6	-	2	-	59	-	50	64	16.1	7.3	14.0
Hartford	135,100	7,390	51	2,998	1,169	2,711	1,197	1,524	829	19	9	1,218	323	1,085	1,049	20.1	9.0	15.8
Hartland	1,460	-	-	1	17	14	-	-	-	-	-	7	-	19	17	9.6	4.8	24.7
Hebron	5,790	1	-	2	37	107	-	8	-	-	-	19	-	33	34	18.5	3.3	11.6
Manchester	49,620	1,322	4	565	456	573	36	59	8	4	-	433	4	381	416	11.6	8.7	16.1
Marlborough	4,890	3	-	3	25	83	-	4	-	-	-	12	-	33	34	17.0	2.5	13.7
New Britain	73,230	2,047	9	956	585	1,041	107	271	49	3	-	768	28	651	632	14.2	10.5	17.5
Newington	29,020	-	-	279	213	248	5	13	1	1	-	253	1	185	200	8.6	8.7	13.3
Plainville	16,620	-	-	68	167	223	7	18	2	2	-	146	3	154	152	13.4	8.8	18.4
Plymouth	10,780	-	-	29	66	146	2	17	-	-	-	99	-	93	92	13.5	9.2	17.2
Rocky Hill	14,820	-	-	177	113	172	8	10	1	1	-	116	-	170	150	11.6	7.8	21.6

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1983

Column Number	Population estimated as of July 1, 1983	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages		Live Births	Deaths	Persons Marrying
						Total		Out-of-Wedlock		Deaths		Deaths		Marriages				
						All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
HSA IV, North Central Cont'd.																		
Simsbury	21,700	-	-	57	180	193	1	8	-	1	-	113	1	101	123	8.9	5.2	10.3
Somers	8,930	-	-	12	72	95	1	5	-	-	-	53	-	42	49	10.6	5.9	10.2
Southington	37,200	1	-	190	341	441	8	36	-	4	-	254	1	265	293	11.9	6.8	15.0
South Windsor	18,210	-	-	41	162	220	15	13	2	1	-	110	1	138	150	12.1	6.0	15.8
Stafford	9,560	1	-	118	89	174	1	25	-	-	-	82	1	78	75	18.2	8.6	16.0
Suffield	9,610	1	-	22	88	115	2	4	-	-	-	67	3	49	65	12.0	7.0	11.9
Tolland	9,940	-	-	6	76	116	3	8	-	-	-	42	-	56	60	11.7	4.2	11.7
Vernon	28,580	667	-	295	229	470	20	67	6	1	-	221	1	287	306	16.5	7.7	20.6
West Hartford	60,880	1	-	305	534	523	26	40	6	4	1	746	6	343	399	8.6	12.3	12.2
Wethersfield	26,250	-	-	113	183	189	2	12	-	2	-	271	6	145	165	7.2	10.3	11.8
Windsor	25,490	-	-	163	228	340	61	31	19	1	-	223	5	182	187	13.3	8.8	14.5
Windsor Locks	12,160	-	-	33	98	124	1	15	-	2	1	99	-	100	107	10.2	8.1	17.0
HSA V, Northwestern																		
Barkhamsted	2,980	-	-	8	30	36	-	1	-	-	5	4,321	143	3,501	3,656	12.7	8.6	14.3
Beacon Falls	4,050	-	-	1	26	58	-	5	-	-	-	28	-	25	28	14.3	6.9	13.1
Bethel	16,170	2	-	13	103	260	9	17	1	2	-	98	2	102	91	16.1	6.1	11.9
Bethlehem	2,640	-	-	5	17	35	-	3	-	-	-	19	-	21	19	13.3	7.2	15.2
Bridgewater	1,560	1	-	4	7	13	-	1	-	-	-	15	1	10	13	8.3	9.6	14.7
Brookfield	13,390	1	-	11	96	130	5	8	1	-	-	68	-	80	88	9.7	5.1	12.5
Canaan	1,010	-	-	3	6	48	4	5	1	-	-	18	1	14	16	47.5	17.8	29.7
Cheshire	22,290	2	-	99	125	239	6	9	-	2	-	165	2	132	137	10.7	7.4	12.1
Colebrook	1,240	1	-	2	14	12	-	-	-	-	-	7	-	7	5	9.7	5.7	9.7
Cornwall	1,330	-	-	7	20	8	-	2	-	-	-	23	-	12	14	6.0	17.3	19.6
Danbury	62,020	1,839	8	835	517	941	112	162	49	5	2	547	23	480	499	15.2	8.8	15.8
Goshen	1,820	-	-	2	20	23	2	-	-	-	-	15	1	12	8	12.6	8.2	11.0
Harwinton	4,960	-	-	8	31	51	-	1	-	-	-	27	-	26	32	10.3	5.4	11.7
Kent	2,550	1	-	10	29	25	1	4	-	-	-	18	-	21	18	9.8	7.1	15.3
Litchfield	7,800	-	-	22	91	89	1	13	1	2	-	80	1	65	52	11.4	10.3	15.0
Middlebury	6,070	-	-	26	50	60	-	4	-	1	-	48	1	35	40	9.9	7.9	12.4
Morris	1,910	-	-	3	5	17	-	1	-	-	-	15	-	11	12	8.9	7.9	12.0

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1983

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1983																				
Column Number	Population estimated as of July 1, 1983	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION				
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages		Live Births	Deaths	Persons Marrying		
						Total		Out-of-Wedlock		All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite				Groom	Bride
						All Races	Nonwhite	All Races	Nonwhite											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			
HSA V, Northwestern Cont'd.																				
Naugatuck	26,850	-	-	51	174	400	9	55	1	4	-	186	-	186	202	14.9	6.9	14.5		
New Fairfield	11,640	1	-	9	62	124	3	13	-	2	-	61	-	59	58	10.7	5.2	10.1		
New Hartford	4,990	-	-	6	40	66	-	2	-	1	-	32	-	37	40	13.2	6.4	15.4		
New Milford	20,070	339	3	213	171	291	8	23	1	-	-	133	4	178	176	14.5	6.6	17.6		
Newtown	19,490	1	-	63	161	223	6	22	-	3	-	95	1	124	137	11.4	4.9	13.4		
Norfolk	2,200	-	-	4	30	35	-	4	-	-	-	14	2	9	16	15.9	6.4	11.4		
North Canaan	3,250	-	-	55	25	18	1	3	1	-	-	29	-	15	15	5.5	8.9	9.2		
Prospect	6,800	-	-	33	68	53	2	4	-	-	-	42	2	43	56	7.8	6.2	14.6		
Redding	7,360	1	-	13	79	78	1	6	-	-	-	43	-	42	44	10.6	5.8	11.7		
Ridgefield	20,500	1	-	48	257	184	5	14	2	-	-	132	2	106	144	6.6	4.7	9.0		
Roxbury	1,520	1	-	5	13	15	-	1	-	1	-	15	-	5	11	9.9	9.9	10.5		
Salisbury	3,940	-	-	31	54	42	-	3	-	2	-	58	-	24	23	10.7	14.7	11.9		
Sharon	2,620	345	3	150	40	36	-	3	-	-	-	32	-	20	23	13.7	12.2	16.4		
Sherman	2,350	1	-	2	17	25	-	2	-	-	-	14	-	13	12	10.6	6.0	10.6		
Southbury	14,110	-	-	82	96	105	-	9	-	2	-	183	2	65	54	7.4	13.0	8.4		
Thomaston	6,280	-	-	19	65	83	-	14	-	-	-	53	-	43	55	13.2	8.4	15.6		
Torrington	31,680	729	5	430	242	391	9	46	3	3	-	338	4	242	259	12.3	10.7	15.8		
Warren	1,060	-	-	1	19	11	-	1	-	-	-	4	-	5	3	10.4	3.8	7.6		
Washington	3,720	-	-	6	47	38	-	2	-	1	-	32	-	26	25	10.2	8.6	13.7		
Waterbury	104,610	2,476	19	1,698	855	1,541	264	485	196	11	3	1,182	92	802	820	14.7	11.3	15.5		
Watertown	19,770	-	-	66	182	207	3	13	1	-	-	156	-	145	149	10.5	7.9	14.9		
Winchester	10,790	2	-	119	97	142	3	24	-	1	-	120	1	99	103	13.2	11.1	18.7		
Wolcott	13,260	-	-	42	90	120	1	14	1	1	-	92	1	78	88	9.1	6.9	12.5		
Woodbury	7,130	-	-	11	57	74	1	5	-	1	-	67	-	56	52	10.4	9.4	15.2		
Out-of-State		1,083		965		980	52	101	14	8		1,102	45	3,580	2,450					

TABLE 3: CONNECTICUT BIRTHS, 1983

	ALL RACES											NONWHITE										
	TOTAL	AGE OF MOTHER										TOTAL	AGE OF MOTHER									
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN
TOTAL.....	41,056	99	3,978	10,782	14,203	9,095	2,587	298	11	1	2	5,723	53	1,241	1,839	1,472	820	264	33	-	1	-
MALE.....	21,326	56	2,025	5,615	7,461	4,704	1,303	156	5	-	1	2,971	29	659	953	752	432	130	16	-	-	-
FEMALE.....	19,730	43	1,953	5,167	6,742	4,391	1,284	142	6	1	1	2,752	24	582	886	720	388	134	17	-	1	-
PLACE OF DELIVERY																						
HOSPITAL.....	40,902	99	3,963	10,754	14,144	9,055	2,575	298	11	1	2	5,697	53	1,236	1,829	1,466	817	262	33	-	1	-
OTHER.....	149	-	15	28	58	37	11	-	-	-	-	26	-	5	10	6	3	2	-	-	-	-
UNKNOWN.....	5	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MARITAL STATUS																						
MOTHER MARRIED.....	32,785	9	1,330	7,853	12,594	8,364	2,364	260	9	1	1	2,376	4	125	631	824	581	191	19	-	1	-
MOTHER UNMARRIED.....	8,271	90	2,648	2,929	1,609	731	223	38	2	-	1	3,347	49	1,116	1,208	648	239	73	14	-	-	-
PERIOD OF GESTATION																						
UNDER 20 WEEKS.....	9	-	1	4	4	-	-	-	-	-	-	4	-	-	3	1	-	-	-	-	-	-
20-27 WEEKS.....	199	1	29	56	62	34	17	-	-	-	-	60	1	13	17	18	5	6	-	-	-	-
28-31 WEEKS.....	242	2	48	68	69	46	8	1	-	-	-	54	2	15	21	10	6	-	-	-	-	-
32-35 WEEKS.....	763	1	133	193	256	128	48	4	-	-	-	195	1	57	55	53	22	7	-	-	-	-
36 WEEKS.....	773	5	116	206	238	147	56	4	1	-	-	183	3	47	60	40	23	9	1	-	-	-
37-39 WEEKS.....	9,213	25	854	2,273	3,101	2,198	667	92	2	-	1	1,511	17	320	494	376	214	84	6	-	-	-
40 WEEKS OR OVER.....	24,088	47	2,233	6,434	8,500	5,300	1,424	144	6	-	-	2,918	19	616	915	796	428	126	18	-	-	-
NOT STATED.....	5,769	18	564	1,548	1,973	1,242	367	53	2	1	1	798	10	173	274	178	122	32	8	-	1	-
WEIGHT AT BIRTH																						
1000 GRAMS OR LESS.....	276	1	44	75	86	53	16	1	-	-	-	94	1	18	29	29	11	6	-	-	-	-
1001-1500 GRAMS.....	254	1	51	76	64	44	16	2	-	-	-	68	1	22	24	12	6	3	-	-	-	-
1501-2000 GRAMS.....	505	2	83	126	168	94	28	4	-	-	-	134	1	30	47	31	22	3	-	-	-	-
2001-2500 GRAMS.....	1,594	9	250	424	496	295	104	15	-	-	1	376	4	104	120	96	40	12	-	-	-	-
2501-3000 GRAMS.....	6,054	18	909	1,912	2,042	1,186	342	42	3	-	-	1,361	12	345	461	325	156	55	7	-	-	-
3001-3500 GRAMS.....	15,458	36	1,606	4,217	5,351	3,282	868	95	2	1	-	2,266	21	491	721	594	322	103	13	-	1	-
3501-4000 GRAMS.....	12,023	26	827	2,966	4,372	2,916	813	100	3	-	-	1,143	10	196	358	308	200	60	11	-	-	-
4001-4500 GRAMS.....	3,550	4	171	826	1,301	935	283	26	3	-	1	228	2	33	60	64	50	17	2	-	-	-
4501 GRAMS AND OVER.....	770	1	30	146	271	231	82	9	-	-	-	49	1	1	18	12	12	5	-	-	-	-
UNKNOWN.....	172	1	7	14	52	59	35	4	-	-	-	4	-	1	1	1	1	-	-	-	-	-
PLURAL BIRTHS																						
SINGLE.....	40,154	99	3,916	10,538	13,883	8,891	2,522	291	11	1	2	5,575	53	1,227	1,775	1,430	800	256	33	-	1	-
TWINS.....	878	-	62	241	312	194	62	7	-	-	-	146	-	14	64	40	20	8	-	-	-	-
TRIPLETS.....	17	-	-	3	6	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QUADRUPLETS.....	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....	3	-	-	-	2	1	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-

- NO BIRTHS REPORTED

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CONNECTICUT																
ALL RACES.....	41,056	2,629	172	99	204	422	740	1,111	1,501	10,782	14,203	9,095	2,587	298	12	2
NONWHITE.....	5,723	672	4	53	100	153	253	335	400	1,839	1,472	820	264	33	1	-
MSA 1 SOUTHWESTERN																
ALL RACES.....	7,831	539	117	27	54	103	172	246	292	1,829	2,504	1,871	645	86	2	-
NONWHITE.....	1,749	201	-	13	36	48	93	110	130	545	414	253	98	9	-	-
BRIDGEPORT																
ALL RACES.....	2,661	236	2	22	41	70	114	141	180	915	745	336	83	13	1	-
NONWHITE.....	865	110	-	10	26	28	65	57	67	293	198	91	28	2	-	-
DARIEN																
ALL RACES.....	179	9	7	-	-	-	1	-	1	8	41	85	38	5	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
EASTON																
ALL RACES.....	47	2	-	-	-	-	-	-	2	1	17	19	8	-	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
FAIRFIELD																
ALL RACES.....	514	20	5	-	1	-	7	9	6	69	187	169	59	6	1	-
NONWHITE.....	11	3	-	-	-	-	-	1	-	2	5	3	-	-	-	-
GREENWICH																
ALL RACES.....	464	19	26	-	-	1	-	2	4	60	141	170	73	13	-	-
NONWHITE.....	22	2	-	-	-	-	-	1	1	3	4	7	6	-	-	-
MONROE																
ALL RACES.....	147	4	-	-	-	-	1	3	-	20	57	47	16	3	-	-
NONWHITE.....	6	-	-	-	-	-	-	-	-	-	-	5	1	-	-	-
NEW CANAAN																
ALL RACES.....	120	3	9	-	-	-	-	1	-	13	40	42	22	2	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NORWALK																
ALL RACES.....	1,113	68	16	2	5	9	22	28	33	251	381	273	96	13	-	-
NONWHITE.....	295	27	-	1	4	6	11	15	26	85	74	47	23	3	-	-
STAMFORD																
ALL RACES.....	1,426	103	27	3	5	17	19	48	48	313	490	349	122	12	-	-
NONWHITE.....	467	54	-	2	5	13	13	34	32	138	113	80	34	3	-	-
STRATFORD																
ALL RACES.....	527	31	1	-	2	5	8	10	12	122	216	123	26	3	-	-
NONWHITE.....	59	5	-	-	1	1	4	2	3	21	13	11	2	1	-	-
TRUMBULL																
ALL RACES.....	277	28	-	-	-	-	-	2	4	34	92	116	28	1	-	-
NONWHITE.....	13	-	-	-	-	-	-	-	1	3	4	4	1	-	-	-
WESTON																
ALL RACES.....	64	2	3	-	-	-	-	-	-	2	17	28	13	4	-	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN	
WESTPORT																	
ALL RACES.....	171	8	15	-	-	1	-	2	2	12	44	63	40	7	-	-	
NONWHITE.....	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	
WILTON																	
ALL RACES.....	121	6	6	-	-	-	-	-	-	9	36	51	21	4	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
HSA 2 SOUTH CENTRAL																	
ALL RACES.....	7,892	494	13	23	49	81	164	194	282	1,965	2,834	1,747	498	53	2	-	
NONWHITE.....	1,355	155	4	16	33	39	66	77	94	439	339	185	58	9	-	-	
ANSONIA																	
ALL RACES.....	281	16	-	-	-	2	5	8	9	97	109	38	13	-	-	-	
NONWHITE.....	29	2	-	-	-	1	2	2	2	13	5	3	1	-	-	-	
BETHANY																	
ALL RACES.....	50	2	-	-	-	1	-	1	1	6	17	18	6	-	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	
BRANFORD																	
ALL RACES.....	312	20	-	-	1	1	6	1	9	49	116	101	24	4	-	-	
NONWHITE.....	7	-	-	-	-	-	1	-	-	3	1	2	-	-	-	-	
DERBY																	
ALL RACES.....	163	8	-	-	1	2	2	3	5	49	63	31	6	1	-	-	
NONWHITE.....	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
EAST HAVEN																	
ALL RACES.....	272	19	-	1	1	3	6	4	11	71	106	47	21	1	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	
GUILFORD																	
ALL RACES.....	240	13	-	-	-	1	2	5	1	31	70	97	31	2	-	-	
NONWHITE.....	6	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	
HAMDEN																	
ALL RACES.....	533	28	-	1	-	-	5	7	8	95	221	151	42	3	-	-	
NONWHITE.....	56	4	-	1	-	-	3	1	1	16	16	14	4	-	-	-	
MADISON																	
ALL RACES.....	131	3	1	-	1	1	2	1	1	23	35	43	23	-	1	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MERIDEN																	
ALL RACES.....	831	43	1	2	3	11	21	29	39	244	329	125	25	3	-	-	
NONWHITE.....	53	3	-	1	2	1	5	3	4	17	16	3	1	-	-	-	
MILFORD																	
ALL RACES.....	641	37	1	1	2	-	11	14	19	136	254	157	41	6	-	-	
NONWHITE.....	24	2	-	-	-	-	-	3	-	4	8	8	1	-	-	-	
NEW HAVEN																	
ALL RACES.....	2,096	193	8	17	37	47	79	80	124	667	600	326	104	15	-	-	
NONWHITE.....	1,019	131	4	14	29	37	50	59	80	348	242	121	32	7	-	-	

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN	
NORTH BRANFORD																	
ALL RACES.....	137	5	-	-	1	1	4	5	-	23	43	49	11	-	-	-	
NONWHITE.....	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
NORTH HAVEN																	
ALL RACES.....	193	11	-	-	-	-	3	1	2	34	64	72	13	4	-	-	
NONWHITE.....	13	1	-	-	-	-	-	1	1	3	2	5	1	-	-	-	
ORANGE																	
ALL RACES.....	97	5	-	-	-	-	-	-	2	7	41	33	14	-	-	-	
NONWHITE.....	5	1	-	-	-	-	-	-	-	-	3	1	1	-	-	-	
OXFORD																	
ALL RACES.....	91	2	-	-	-	1	-	2	2	10	27	35	12	2	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	
SEYMOUR																	
ALL RACES.....	170	7	-	-	-	-	1	1	3	57	74	32	2	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SHELTON																	
ALL RACES.....	414	21	-	1	-	3	2	3	13	80	171	100	36	5	-	-	
NONWHITE.....	16	1	-	-	-	-	1	-	-	1	8	4	2	-	-	-	
WALLINGFORD																	
ALL RACES.....	440	15	-	-	1	1	3	8	12	90	192	107	23	2	1	-	
NONWHITE.....	7	-	-	-	-	-	-	-	-	2	4	1	-	-	-	-	
WEST HAVEN																	
ALL RACES.....	734	44	1	-	1	6	12	20	21	191	276	158	44	5	-	-	
NONWHITE.....	111	9	-	-	1	-	4	8	5	30	29	21	11	2	-	-	
WOODBIDGE																	
ALL RACES.....	66	2	1	-	-	-	-	1	-	5	26	27	7	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
HSA 3 EASTERN																	
ALL RACES.....	7,156	417	6	7	19	63	114	185	286	2,289	2,442	1,382	329	39	1	-	
NONWHITE.....	440	51	-	3	2	7	12	16	33	130	141	72	20	4	-	-	
ASHFORD																	
ALL RACES.....	45	3	-	-	-	-	-	4	1	16	14	8	1	1	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
BOZRAH																	
ALL RACES.....	19	-	-	-	-	-	-	1	-	3	8	6	-	1	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
BROOKLYN																	
ALL RACES.....	55	-	-	-	1	-	2	-	2	13	26	9	2	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CANTERBURY																	
ALL RACES.....	49	-	-	-	-	-	-	2	-	19	16	10	1	1	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN	
CHAPLIN																	
ALL RACES.....	23	-	-	-	-	-	-	-	-	-	7	10	3	3	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CHESTER																	
ALL RACES.....	43	5	-	-	-	1	-	-	2	3	23	12	2	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CLINTON																	
ALL RACES.....	169	10	-	-	-	1	2	4	5	41	57	48	11	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
COLCHESTER																	
ALL RACES.....	148	7	-	-	1	1	1	-	7	35	56	40	5	2	-	-	
NONWHITE.....	5	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	
COLUMBIA																	
ALL RACES.....	40	-	-	-	-	-	-	-	1	9	15	13	2	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	
COVENTRY																	
ALL RACES.....	149	14	-	-	-	1	1	2	3	25	68	41	8	-	-	-	
NONWHITE.....	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	
CROMWELL																	
ALL RACES.....	137	4	-	-	-	1	-	2	-	19	67	42	6	-	-	-	
NONWHITE.....	6	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	
DEEP RIVER																	
ALL RACES.....	54	3	-	-	-	-	1	-	-	11	21	15	6	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DURHAM																	
ALL RACES.....	57	2	-	-	-	-	-	-	-	10	24	19	4	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EASTFORD																	
ALL RACES.....	13	1	-	-	-	-	-	1	3	1	6	-	2	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST HADDAM																	
ALL RACES.....	90	4	-	-	-	-	2	-	4	20	33	24	6	1	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST HAMPTON																	
ALL RACES.....	149	6	-	-	-	-	2	3	5	29	57	47	6	-	-	-	
NONWHITE.....	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	
EAST LYME																	
ALL RACES.....	155	7	-	-	-	-	1	3	3	42	54	40	9	3	-	-	
NONWHITE.....	6	1	-	-	-	-	-	-	-	1	3	1	1	-	-	-	
ESSEX																	
ALL RACES.....	44	2	-	-	-	-	1	-	-	7	24	8	3	1	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN	
FRANKLIN																	
ALL RACES.....	23	2	-	-	1	-	-	1	1	5	8	6	1	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
GRISWOLD																	
ALL RACES.....	165	12	-	1	2	2	3	7	7	70	49	18	4	2	-	-	
NONWHITE.....	4	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	
GROTON																	
ALL RACES.....	893	46	3	-	1	3	8	19	43	390	286	114	25	4	-	-	
NONWHITE.....	83	6	-	-	-	-	1	4	3	28	33	11	2	1	-	-	
HADDAM																	
ALL RACES.....	78	4	-	-	-	-	1	3	-	12	29	26	7	-	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	
HAMPTON																	
ALL RACES.....	24	2	-	-	-	-	-	2	2	6	6	6	2	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
KILLINGLY																	
ALL RACES.....	233	23	-	-	1	1	10	12	15	91	66	28	8	1	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
KILLINGWORTH																	
ALL RACES.....	54	-	-	-	-	-	-	1	1	7	18	19	7	1	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
LEBANON																	
ALL RACES.....	74	3	-	-	-	-	-	4	2	15	29	16	7	1	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
LEDYARD																	
ALL RACES.....	239	18	-	-	-	-	2	3	7	56	90	58	22	1	-	-	
NONWHITE.....	9	2	-	-	-	-	-	1	1	-	6	-	1	-	-	-	
LISBON																	
ALL RACES.....	22	-	-	-	-	-	1	-	1	5	9	6	-	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
LYME																	
ALL RACES.....	17	-	-	-	-	1	-	1	-	2	5	7	1	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MANSFIELD																	
ALL RACES.....	122	4	-	-	1	-	1	2	2	26	46	33	10	1	-	-	
NONWHITE.....	15	1	-	-	-	-	-	-	-	2	8	4	1	-	-	-	
MIDDLEFIELD																	
ALL RACES.....	40	1	-	-	-	1	-	-	-	5	18	14	2	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MIDDLETOWN																	
ALL RACES.....	503	26	1	1	3	8	7	10	13	178	163	93	26	1	-	-	
NONWHITE.....	69	7	-	1	1	3	1	1	3	26	18	12	2	1	-	-	

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
MONTVILLE																
ALL RACES.....	248	13	-	1	1	5	6	5	8	95	76	43	8	-	-	-
NONWHITE.....	8	-	-	-	-	-	1	-	-	2	1	4	-	-	-	-
NEW LONDON																
ALL RACES.....	491	47	-	2	1	5	22	13	40	184	135	68	20	1	-	-
NONWHITE.....	126	22	-	2	1	3	6	7	16	33	34	18	5	1	-	-
N STONINGTON																
ALL RACES.....	49	1	-	-	-	-	3	1	1	9	17	16	2	-	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
NORWICH																
ALL RACES.....	668	41	-	1	-	16	15	30	36	245	229	72	21	3	-	-
NONWHITE.....	43	5	-	-	-	1	1	3	3	16	13	5	1	-	-	-
OLD LYME																
ALL RACES.....	56	2	1	-	-	-	-	1	1	10	22	18	2	2	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OLD SAYBROOK																
ALL RACES.....	90	3	-	-	1	2	2	2	3	25	26	21	6	2	-	-
NONWHITE.....	4	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-
PLAINFIELD																
ALL RACES.....	199	19	-	-	1	4	3	6	9	89	54	29	4	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
POMFRET																
ALL RACES.....	34	2	-	-	-	-	1	1	-	11	13	4	4	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND																
ALL RACES.....	78	10	-	-	-	-	-	1	2	17	33	21	4	-	-	-
NONWHITE.....	4	1	-	-	-	-	-	-	-	1	1	2	-	-	-	-
PRESTON																
ALL RACES.....	28	1	-	-	-	-	1	1	-	6	12	4	4	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM																
ALL RACES.....	111	6	-	-	-	2	2	6	5	42	35	16	2	1	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
SALEM																
ALL RACES.....	39	2	-	-	-	-	-	1	2	10	10	14	2	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND																
ALL RACES.....	13	-	-	-	-	-	-	1	1	6	1	2	2	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE																
ALL RACES.....	61	4	-	-	-	-	2	-	4	29	21	4	1	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN	
STERLING																	
ALL RACES.....	22	1	-	1	1	-	-	1	1	3	10	5	-	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
STONINGTON																	
ALL RACES.....	199	6	-	-	1	1	4	3	5	59	61	50	12	2	1	-	
NONWHITE.....	5	1	-	-	-	-	1	-	-	2	2	-	-	-	-	-	
THOMPSON																	
ALL RACES.....	119	9	-	-	-	1	1	5	6	41	43	21	1	-	-	-	
NONWHITE.....	4	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	
UNION																	
ALL RACES.....	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VOLUNTOWN																	
ALL RACES.....	28	1	-	-	-	-	-	-	4	10	10	3	1	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WATERFORD																	
ALL RACES.....	164	7	-	-	-	-	2	5	2	45	54	44	10	2	-	-	
NONWHITE.....	8	-	-	-	-	-	1	-	-	1	2	3	1	-	-	-	
WESTBROOK																	
ALL RACES.....	69	4	-	-	-	2	-	-	-	17	32	13	4	1	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	
WILLINGTON																	
ALL RACES.....	79	3	-	-	-	-	1	-	2	16	32	25	3	-	-	-	
NONWHITE.....	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	
WINDHAM																	
ALL RACES.....	319	24	1	-	2	3	2	14	21	130	92	41	12	2	-	-	
NONWHITE.....	14	5	-	-	-	-	-	-	2	6	2	3	1	-	-	-	
WOODSTOCK																	
ALL RACES.....	63	2	-	-	-	1	1	1	3	12	22	17	5	1	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
HSA 4 NORTH CENTRAL																	
ALL RACES.....	11,830	813	12	34	63	130	220	340	425	3,096	4,111	2,624	713	71	2	1	
NONWHITE.....	1,723	213	-	20	25	48	69	101	104	577	461	241	67	9	1	-	
ANDOVER																	
ALL RACES.....	48	1	1	-	-	-	-	-	1	7	15	22	3	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
AVON																	
ALL RACES.....	117	2	-	-	-	-	-	1	-	9	41	43	21	2	-	-	
NONWHITE.....	6	1	-	-	-	-	-	-	-	-	3	3	-	-	-	-	
BERLIN																	
ALL RACES.....	149	2	-	-	-	-	1	2	3	18	64	52	7	2	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
BLOOMFIELD																
ALL RACES.....	165	13	-	-	-	2	1	7	4	28	55	48	19	1	-	-
NONWHITE.....	72	6	-	-	-	2	1	7	3	14	22	18	5	-	-	-
BOLTON																
ALL RACES.....	46	4	-	-	-	-	-	-	-	7	18	14	7	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRISTOL																
ALL RACES.....	790	49	1	-	3	2	12	21	28	258	298	142	25	1	-	-
NONWHITE.....	35	2	-	-	1	-	1	2	5	9	8	9	-	-	-	-
BURLINGTON																
ALL RACES.....	75	2	-	-	-	1	-	-	-	5	32	32	5	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTON																
ALL RACES.....	117	9	-	-	-	-	1	-	1	20	47	43	5	-	-	-
NONWHITE.....	2	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
EAST GRANBY																
ALL RACES.....	50	3	-	-	-	-	-	1	-	6	22	13	7	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HARTFORD																
ALL RACES.....	580	29	-	-	1	3	7	13	16	187	216	109	26	2	-	-
NONWHITE.....	62	7	-	-	-	1	1	1	2	24	15	12	6	-	-	-
EAST WINDSOR																
ALL RACES.....	112	7	-	-	1	-	-	2	5	34	45	17	6	2	-	-
NONWHITE.....	4	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-
ELLINGTON																
ALL RACES.....	138	5	-	-	-	-	1	3	3	29	55	34	11	2	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
ENFIELD																
ALL RACES.....	555	33	-	-	-	2	5	11	21	152	222	109	29	2	1	1
NONWHITE.....	16	1	-	-	-	-	-	-	-	2	8	3	3	-	-	-
FARMINGTON																
ALL RACES.....	187	13	-	-	-	-	1	1	3	17	74	74	17	-	-	-
NONWHITE.....	9	1	-	-	-	-	-	-	-	1	3	5	-	-	-	-
GLASTONBURY																
ALL RACES.....	252	11	-	-	-	2	3	2	2	33	69	102	35	4	-	-
NONWHITE.....	8	-	-	-	-	-	-	-	-	3	1	3	1	-	-	-
GRANBY																
ALL RACES.....	131	9	-	-	-	-	2	-	3	23	46	39	16	2	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
HARTFORD																
ALL RACES.....	2,711	290	2	26	44	88	114	170	201	979	687	296	87	18	1	-
NONWHITE.....	1,197	163	-	17	22	39	60	84	85	437	309	107	30	6	1	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN	
HARTLAND																	
ALL RACES.....	14	1	-	-	-	-	-	1	-	-	11	1	1	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
HEBRON																	
ALL RACES.....	107	10	-	-	1	1	1	1	2	27	34	28	11	1	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MANCHESTER																	
ALL RACES.....	573	23	1	-	1	2	8	10	9	166	221	116	36	4	-	-	
NONWHITE.....	36	2	-	-	-	1	2	-	1	16	9	5	1	1	-	-	
MARLBOROUGH																	
ALL RACES.....	83	8	-	-	-	-	-	1	1	6	30	40	5	-	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NEW BRITAIN																	
ALL RACES.....	1,041	72	5	4	6	19	30	40	50	326	352	174	36	4	-	-	
NONWHITE.....	107	15	-	2	2	5	3	4	4	33	36	14	4	-	-	-	
NEWINGTON																	
ALL RACES.....	248	15	-	-	-	-	1	1	3	37	107	72	25	2	-	-	
NONWHITE.....	5	2	-	-	-	-	-	-	-	1	1	3	-	-	-	-	
PLAINVILLE																	
ALL RACES.....	223	17	-	-	-	-	2	3	4	49	100	54	10	1	-	-	
NONWHITE.....	7	2	-	-	-	-	-	-	1	3	-	2	-	1	-	-	
PLYMOUTH																	
ALL RACES.....	146	15	-	-	-	1	1	5	10	32	54	34	9	-	-	-	
NONWHITE.....	2	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	
ROCKY HILL																	
ALL RACES.....	172	6	-	-	-	-	-	1	1	40	67	54	8	1	-	-	
NONWHITE.....	8	1	-	-	-	-	-	-	-	3	1	4	-	-	-	-	
SIMSBURY																	
ALL RACES.....	193	11	-	-	-	-	-	1	3	23	58	81	25	2	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
SOMERS																	
ALL RACES.....	95	9	-	-	-	-	-	3	2	23	33	25	9	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
SOUTHINGTON																	
ALL RACES.....	441	21	1	-	-	1	1	5	5	100	189	110	27	3	-	-	
NONWHITE.....	8	-	-	-	-	-	-	-	1	3	1	2	-	1	-	-	
SOUTH WINDSOR																	
ALL RACES.....	220	9	-	-	-	1	1	3	5	28	82	79	17	4	-	-	
NONWHITE.....	15	-	-	-	-	-	-	-	-	1	6	5	3	-	-	-	
STAFFORD																	
ALL RACES.....	174	10	-	-	-	-	6	2	9	62	64	28	3	-	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
SUFFIELD																
ALL RACES.....	115	7	-	-	-	1	-	2	-	12	53	28	12	-	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
TOLLAND																
ALL RACES.....	116	2	-	-	-	-	1	-	2	18	45	37	13	-	-	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
VERNON																
ALL RACES.....	470	39	-	2	-	3	13	16	14	144	166	90	21	1	-	-
NONWHITE.....	20	3	-	-	-	-	1	-	1	4	7	6	1	-	-	-
WEST HARTFORD																
ALL RACES.....	523	17	1	-	2	1	1	1	8	54	161	220	69	6	-	-
NONWHITE.....	26	2	-	-	-	-	-	-	-	4	6	13	3	-	-	-
WETHERSFIELD																
ALL RACES.....	189	10	-	1	-	-	-	-	1	30	80	58	16	3	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
WINDSOR																
ALL RACES.....	340	22	-	1	-	-	1	8	4	66	138	90	32	-	-	-
NONWHITE.....	61	3	-	1	-	-	-	3	1	14	17	16	9	-	-	-
WINDSOR LOCKS																
ALL RACES.....	124	7	-	-	4	-	5	2	1	34	60	16	2	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
HSA 5 NORTHWESTERN																
ALL RACES.....	6,347	366	24	8	19	45	70	146	216	1,603	2,312	1,471	402	49	5	1
NONWHITE.....	456	52	-	1	4	11	13	31	39	148	117	69	21	2	-	-
BARKHAMSTED																
ALL RACES.....	36	-	-	-	-	-	-	-	1	7	14	12	2	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEACON FALLS																
ALL RACES.....	58	-	-	-	-	-	1	-	1	9	32	12	3	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHEL																
ALL RACES.....	260	14	1	-	-	-	-	1	6	47	91	94	16	5	-	-
NONWHITE.....	9	-	-	-	-	-	-	-	-	1	1	7	-	-	-	-
BETHLEHEM																
ALL RACES.....	35	3	-	1	-	-	-	1	-	3	14	14	1	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER																
ALL RACES.....	13	1	-	-	-	-	-	-	-	2	3	6	2	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD																
ALL RACES.....	130	10	-	-	-	-	-	-	2	22	46	39	18	2	1	-
NONWHITE.....	5	2	-	-	-	-	-	-	-	2	1	2	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN	
CANAAN																	
ALL RACES.....	48	5	-	-	-	-	-	2	2	14	17	9	4	-	-	-	-
NONWHITE.....	4	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-
CHESHIRE																	
ALL RACES.....	239	9	-	-	-	-	-	1	2	26	96	98	13	3	-	-	-
NONWHITE.....	6	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-
COLEBROOK																	
ALL RACES.....	12	-	-	-	-	-	-	-	-	3	4	5	-	-	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL																	
ALL RACES.....	8	-	1	-	-	-	-	-	-	-	3	4	1	-	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY																	
ALL RACES.....	941	67	4	-	5	5	11	20	33	259	333	215	53	6	-	-	1
NONWHITE.....	112	16	-	-	2	-	2	8	3	36	33	22	6	-	-	-	-
GOSHEN																	
ALL RACES.....	23	1	-	-	-	-	-	-	-	3	14	3	3	-	-	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
HARWINTON																	
ALL RACES.....	51	4	-	-	-	-	-	-	1	9	24	11	6	-	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT																	
ALL RACES.....	25	3	1	-	-	-	1	1	3	5	6	7	2	-	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
LITCHFIELD																	
ALL RACES.....	89	6	-	-	1	-	-	2	5	22	25	26	3	5	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
MIDDLEBURY																	
ALL RACES.....	60	1	-	-	1	-	-	2	2	9	22	18	6	-	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MORRIS																	
ALL RACES.....	17	-	-	-	-	1	-	-	1	2	7	4	2	-	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NAUGATUCK																	
ALL RACES.....	400	18	-	-	1	3	3	9	15	122	160	70	17	-	-	-	-
NONWHITE.....	9	2	-	-	-	-	-	-	-	2	3	-	4	-	-	-	-
NEW FAIRFIELD																	
ALL RACES.....	124	8	1	1	-	-	2	-	5	13	50	42	9	2	-	-	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
NEW HARTFORD																	
ALL RACES.....	66	2	-	-	-	1	-	-	1	13	28	19	3	1	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
NEW MILFORD																
ALL RACES.....	291	19	1	-	1	5	4	5	7	68	101	66	32	2	-	-
NONWHITE.....	8	-	-	-	-	-	-	1	-	1	2	3	1	-	-	-
NEWTOWN																
ALL RACES.....	223	12	2	1	-	-	-	5	6	36	72	73	30	-	-	-
NONWHITE.....	6	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-
NORFOLK																
ALL RACES.....	35	2	-	-	-	-	-	1	-	3	16	7	8	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN																
ALL RACES.....	18	-	-	-	-	-	1	-	-	4	8	4	1	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
PROSPECT																
ALL RACES.....	53	3	-	-	-	-	-	2	-	10	18	19	4	-	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
REDDING																
ALL RACES.....	78	6	1	-	-	1	1	1	-	4	23	33	13	2	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
RIDGEFIELD																
ALL RACES.....	184	6	3	-	-	-	2	2	-	18	57	75	28	1	1	-
NONWHITE.....	5	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-
ROXBURY																
ALL RACES.....	15	-	1	-	-	-	-	-	-	-	11	4	-	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY																
ALL RACES.....	42	2	1	-	-	-	-	1	2	9	15	10	5	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHARON																
ALL RACES.....	36	-	3	-	-	-	-	1	1	3	15	9	7	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHERMAN																
ALL RACES.....	25	2	1	-	-	1	-	1	2	3	4	11	2	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHBURY																
ALL RACES.....	105	3	-	-	-	-	1	3	1	11	40	39	9	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THOMASTON																
ALL RACES.....	83	5	-	-	-	-	3	1	2	28	27	16	5	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TORRINGTON																
ALL RACES.....	391	23	-	-	1	2	4	12	9	135	158	55	14	1	-	-
NONWHITE.....	9	-	-	-	-	-	-	2	1	2	3	1	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER													
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN	
WARREN																	
ALL RACES.....	11	1	-	-	-	-	-	-	-	2	5	2	1	1	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WASHINGTON																	
ALL RACES.....	38	1	1	-	-	-	-	-	2	9	12	11	3	1	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WATERBURY																	
ALL RACES.....	1,541	103	1	4	7	24	32	63	90	552	516	197	45	9	2	-	
NONWHITE.....	264	32	-	1	2	11	11	20	33	96	63	21	4	2	-	-	
WATERTOWN																	
ALL RACES.....	207	7	-	1	1	-	-	2	6	37	89	55	14	2	-	-	
NONWHITE.....	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	
WINCHESTER																	
ALL RACES.....	142	5	-	-	1	-	3	2	5	46	57	22	5	1	-	-	
NONWHITE.....	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	
WOLCOTT																	
ALL RACES.....	120	10	-	-	-	2	1	3	3	22	52	31	5	1	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
WOODBURY																	
ALL RACES.....	74	4	1	-	-	-	-	2	-	13	27	24	7	-	1	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	

- NO BIRTHS REPORTED

TABLE 5: FETAL DEATHS OCCURRING IN CONNECTICUT, 1983

	ALL RACES											NONWHITE										
	Age of Mother											Age of Mother										
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Total	265	7	43	61	69	55	25	4	1	-	-	70	2	20	23	14	6	4	1	-	-	-
Sex:																						
Male	146	4	24	30	33	34	17	3	1	-	-	31	-	7	11	4	4	4	1	-	-	-
Female	115	3	18	30	34	21	8	1	-	-	-	37	2	12	11	10	2	-	-	-	-	-
Unknown	4	-	1	1	2	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-
Place of delivery:																						
Hospitals	260	6	42	60	69	54	24	4	1	-	-	69	2	19	23	14	6	4	1	-	-	-
Other	2	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Unknown	3	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Period of gestation:																						
Under 20 weeks	3	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-27 weeks	79	2	19	18	15	13	11	1	-	-	-	31	-	9	12	5	3	1	1	-	-	-
28-31 weeks	28	-	6	5	9	5	3	-	-	-	-	7	-	4	1	2	-	-	-	-	-	-
32-35 weeks	21	-	3	6	9	3	-	-	-	-	-	5	-	1	1	2	1	-	-	-	-	-
36 weeks	7	-	2	1	2	1	1	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-
37-39 weeks	23	2	1	4	6	6	4	-	-	-	-	6	1	-	2	1	-	2	-	-	-	-
40 weeks or over	19	-	1	5	7	3	2	-	1	-	-	4	-	1	-	2	1	-	-	-	-	-
Unknown	85	3	11	21	20	24	3	3	-	-	-	15	1	5	7	1	1	-	-	-	-	-
Weight at birth:																						
1000 grams or less	115	3	21	27	24	25	13	2	-	-	-	36	1	11	15	5	2	1	1	-	-	-
1001-1500 grams	17	-	3	3	8	3	-	-	-	-	-	8	-	3	2	3	-	-	-	-	-	-
1501-2000 grams	29	-	5	6	12	5	1	-	-	-	-	6	-	2	1	2	-	1	-	-	-	-
2001-2500 grams	23	-	5	5	6	5	1	1	-	-	-	5	-	-	2	1	1	1	-	-	-	-
2501-3000 grams	15	-	2	3	3	3	4	-	-	-	-	4	-	1	-	1	1	1	-	-	-	-
3001-3500 grams	19	-	1	3	5	7	3	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
3501-4000 grams	8	1	1	3	1	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-
4001-4500 grams	3	-	-	1	1	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Over 4500 grams	3	1	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Unknown	33	2	5	9	9	5	3	-	-	-	-	6	-	3	2	-	1	-	-	-	-	-
Plural births:																						
Single	244	5	43	54	62	52	23	4	1	-	-	62	2	20	18	11	6	4	1	-	-	-
Twins	18	1	-	5	7	3	2	-	-	-	-	7	-	-	4	3	-	-	-	-	-	-
Unknown	3	1	-	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-

TABLE 6: CAUSES OF FETAL DEATHS OCCURRING
IN CONNECTICUT, 1983

ICD No.	Causes of Fetal Deaths (ICD Ninth Revision)	TOTAL
Total		265
740	Anencephalus and similar anomalies	6
741	Spina bifida	3
742	Other congenital anomalies of nervous system	2
746	Other congenital anomalies of heart	1
752	Congenital anomalies of genital organs	1
758	Chromosomal anomalies	2
759	Other and unspecified congenital anomalies	8
760	Fetus affected by maternal conditions which may be unrelated to present pregnancy	12
761	Fetus affected by maternal complications of pregnancy	26
762	Fetus affected by other complications of placenta, cord and membranes	98
763	Fetus affected by other complications of labor and delivery	3
764	Slow fetal growth and fetal malnutrition	3
765	Disorders relating to short gestation and unspecified low birthweight	15
768	Intrauterine hypoxia and birth asphyxia	16
771	Infections specific to the perinatal period	2
772	Fetal and neonatal hemorrhage	1
775	Endocrine and metabolic disturbances specific to the fetus	3
778	Conditions involving the integument and temperature regulation of fetus	1
779	Other and ill-defined conditions originating in the perinatal period	59
799	Other ill-defined and unknown causes of morbidity and mortality	3

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1983

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1983-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN- KNOWN
320-322 MENINGITIS																									
MALE	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	-	-
FEMALE	14	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	2	1	1	4	-	3	-
390-448 MAJOR CARDIOVASCULAR DISEASES																									
MALE	6,293	3	1	1	1	-	6	1	1	2	10	12	20	47	72	133	260	439	608	801	950	976	810	1,145	-
FEMALE	6,803	5	1	-	-	-	6	1	-	2	4	5	11	11	22	34	100	159	294	506	688	944	1,208	1,867	1
390-398, 402, 404-429 DISEASES OF THE HEART																									
MALE	5,184	2	-	1	1	-	4	1	-	2	5	8	10	37	65	123	235	393	532	690	791	784	621	883	-
FEMALE	5,178	4	1	-	-	-	5	1	-	1	1	3	7	7	14	22	76	122	238	401	552	753	895	1,079	1
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																									
MALE	18	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	4	2	2	3	2	-
FEMALE	85	1	-	-	-	-	1	-	-	-	-	1	1	1	-	1	1	2	6	13	15	22	10	11	-
402 HYPERTENSIVE HEART DISEASE																									
MALE	114	-	-	-	-	-	-	-	-	-	-	1	-	-	-	5	2	14	17	19	9	19	15	13	-
FEMALE	176	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	9	4	20	19	34	25	58	-
404 HYPERTENSIVE HEART AND RENAL DISEASE																									
MALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	-
FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	8	-
410-414 ISCHEMIC HEART DISEASE																									
MALE	3,803	-	-	1	-	-	1	-	-	-	-	2	5	26	48	82	179	301	401	511	618	570	435	624	-
FEMALE	3,676	-	-	-	-	-	-	-	-	-	-	1	2	3	6	15	48	70	165	277	394	550	645	1,499	1
415-429 OTHER HEART DISEASE																									
MALE	1,242	2	-	-	1	-	3	1	-	2	5	5	10	16	34	54	77	114	155	162	192	167	240	-	
FEMALE	1,227	3	1	-	-	-	4	1	-	1	1	1	4	3	7	5	22	41	62	90	124	147	211	503	-
401, 403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																									
MALE	69	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	4	3	9	9	11	4	14	-	
FEMALE	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	4	11	5	12	12	28	-
430-438 CEREBROVASCULAR DISEASES																									
MALE	731	1	1	-	-	-	2	-	1	-	3	4	7	9	6	8	17	29	41	61	105	129	142	167	-
FEMALE	1,193	1	-	-	-	-	1	-	-	-	3	1	3	3	7	11	18	24	44	75	100	147	233	523	-
440 ATHEROSCLEROSIS																									
MALE	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	9	16	21	23	52	-
FEMALE	225	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	7	14	15	45	136	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																									
MALE	178	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	3	10	21	32	29	31	20	29	-
FEMALE	128	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	5	3	4	12	17	17	23	41	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1981-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																								85 AND OVER	UN- KNOWN
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84				
480-486 PNEUMONIA																											
MALE.....	404	1	2	1	-	-	4	-	-	1	1	1	4	3	2	5	10	12	24	43	65	77	146	-			
FEMALE.....	424	3	-	1	-	-	4	-	-	-	-	1	-	1	-	2	7	7	24	28	45	66	234	-			
487 INFLUENZA																											
MALE.....	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-			
FEMALE.....	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																											
MALE.....	512	-	-	-	-	-	1	1	-	-	-	1	-	-	1	4	21	56	80	87	94	78	73	-			
FEMALE.....	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	21	30	40	47	56	52	50	-			
531-533 ULCER OF STOMACH AND DUODENUM																											
MALE.....	37	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	1	1	7	2	10	5	6	-			
FEMALE.....	42	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	3	4	4	3	4	20	-			
550-553 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																											
MALE.....	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	5	2	8	-			
FEMALE.....	49	-	-	-	1	-	1	-	-	-	-	1	-	-	-	1	-	-	3	7	7	6	26	-			
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																											
MALE.....	242	-	-	-	-	-	-	-	-	-	-	2	8	6	15	22	14	28	51	34	23	20	14	3	-		
FEMALE.....	141	-	-	-	-	-	-	-	-	-	-	-	1	7	9	6	16	19	16	20	17	18	9	5	-		
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																											
MALE.....	116	-	-	-	-	-	-	-	-	-	-	2	3	2	-	1	11	7	8	14	14	11	18	35	-		
FEMALE.....	102	2	-	-	-	-	2	1	-	-	-	-	-	-	-	-	3	3	3	7	15	19	19	30	-		
590 INFECTIONS OF KIDNEY																											
MALE.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-			
FEMALE.....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-			
600 HYPERTENSIA OF PROSTATE																											
MALE.....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	3	-		
740-759 CONGENITAL ANOMALIES																											
MALE.....	83	58	2	1	-	-	61	2	1	1	1	3	1	2	1	-	2	-	-	3	2	2	-	1	-		
FEMALE.....	55	35	1	-	-	-	37	2	-	-	2	2	-	-	1	2	2	-	1	-	3	1	1	-	-		
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																											
MALE.....	132	132	-	-	-	-	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
FEMALE.....	96	95	-	-	-	-	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
798.0 SUDDEN INFANT DEATH SYNDROME																											
MALE.....	28	28	-	-	-	-	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
FEMALE.....	18	18	-	-	-	-	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1983-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																								
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN	
E800-E949 ACCIDENTS																										
MALE.....	665	4	1	5	3	2	15	13	16	60	134	75	51	32	32	25	23	26	33	33	18	20	28	31	-	
FEMALE.....	305	3	1	2	2	1	9	1	6	22	23	15	16	10	1	10	10	9	18	21	24	24	31	55	-	
E810-E825 MOTOR VEHICLE ACCIDENTS																										
MALE.....	280	1	-	-	-	1	2	5	5	40	89	41	17	12	12	12	6	9	8	11	2	2	4	3	-	
FEMALE.....	100	-	1	1	1	-	3	-	4	17	17	7	9	4	1	4	4	5	8	6	4	1	4	2	-	
E910 ACCIDENTAL DROWNING AND SUBMERSION																										
MALE.....	41	-	-	1	-	1	2	-	2	-	6	2	7	2	2	3	5	2	1	3	1	-	1	-	-	
FEMALE.....	5	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																										
MALE.....	221	-	-	-	-	-	-	-	-	23	29	27	21	21	11	18	9	12	10	15	7	6	10	2	-	
FEMALE.....	55	-	-	-	-	-	-	-	1	3	5	3	6	6	5	4	3	6	4	4	-	4	1	-	-	
E960-E978 HOMICIDE AND LEGAL INTERVENTION																										
MALE.....	114	-	1	1	2	-	4	2	2	16	26	25	11	9	7	4	2	3	2	-	1	-	-	-	-	
FEMALE.....	34	2	-	-	-	1	3	-	1	8	6	1	5	2	2	1	-	1	2	-	1	1	-	-	-	
ALL OTHER CAUSES																										
MALE.....	1,056	14	3	1	2	-	20	4	1	13	21	38	50	34	25	25	42	60	75	105	102	154	122	165	-	
FEMALE.....	1,061	5	2	1	-	-	8	2	3	10	9	25	15	27	12	15	42	47	65	81	111	120	146	323	-	

- NO DEATHS REPORTED

NOTE: TABLE IS AVAILABLE BY TOWN OF RESIDENCE

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1983

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1983-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																						85 AND OVER	UNKNOWN
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84		
320-322 MENINGITIS																									
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
390-448 MAJOR CARDIOVASCULAR DISEASES																									
MALE.....	302	-	-	-	-	-	-	-	-	1	3	1	5	7	12	17	24	37	38	39	32	35	25	26	
FEMALE.....	250	1	-	-	-	-	1	-	-	1	-	1	4	-	7	3	13	21	19	34	33	24	38	51	
390-398, 402, 404-429 DISEASES OF THE HEART																									
MALE.....	243	-	-	-	-	-	-	-	-	1	1	1	3	4	9	15	21	34	30	30	29	27	16	22	
FEMALE.....	181	1	-	-	-	-	1	-	-	1	-	1	1	-	5	2	10	13	16	24	25	15	29	38	
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																									
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
FEMALE.....	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
402 HYPERTENSIVE HEART DISEASE																									
MALE.....	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	1	-	1	3	1	-	
FEMALE.....	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	1	2	4	2	4	-	
404 HYPERTENSIVE HEART AND RENAL DISEASE																									
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
410-414 ISCHEMIC HEART DISEASE																									
MALE.....	146	-	-	-	-	-	-	-	-	-	-	-	1	3	3	5	11	21	24	16	20	15	11	16	
FEMALE.....	110	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	6	6	11	11	15	11	19	27	
415-429 OTHER HEART DISEASE																									
MALE.....	83	-	-	-	-	-	-	-	-	1	1	1	2	1	5	6	9	12	5	14	8	9	4	5	
FEMALE.....	49	1	-	-	-	-	1	-	-	1	-	-	-	-	3	1	2	2	4	11	5	2	6	11	
401, 403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																									
MALE.....	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	-	1	-	-	
FEMALE.....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	1	2	
430-438 CEREBROVASCULAR DISEASES																									
MALE.....	40	-	-	-	-	-	-	-	-	-	2	-	-	3	3	2	2	2	5	3	2	7	7	2	
FEMALE.....	46	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	2	3	3	7	7	7	6	6	
440 ATHEROSCLEROSIS																									
MALE.....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	
FEMALE.....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	1	1	
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																									
MALE.....	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	3	-	-	-	1	
FEMALE.....	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	4	

TABLE B: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1983-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN- KNOWN
480-486 PNEUMONIA																									
MALE	18	1	1	1	-	-	3	-	-	-	-	-	1	-	-	-	2	1	-	-	-	3	2	3	-
FEMALE	10	1	-	-	-	-	1	-	-	-	-	1	-	-	1	1	2	1	-	1	1	-	1	-	
487 INFLUENZA																									
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																									
MALE	19	-	-	-	-	1	1	1	-	-	-	-	-	-	-	3	2	5	4	-	1	1	1	1	-
FEMALE	10	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	1	-	1	-	-	-	1	1	-
531-533 ULCER OF STOMACH AND DUODENUM																									
MALE	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																									
MALE	18	-	-	-	-	-	-	-	-	-	-	4	1	4	1	2	-	3	1	-	1	-	-	-	-
FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	3	1	-	-	-	-	-	-	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																									
MALE	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	2	1	-	-
FEMALE	12	1	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	2	-	1	3	3	1	-	-
590 INFECTIONS OF KIDNEY																									
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600 HYPERPLASIA OF PROSTATE																									
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																									
MALE	11	9	1	-	-	-	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	7	5	-	1	-	-	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																									
MALE	39	39	-	-	-	-	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	21	21	-	-	-	-	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																									
MALE	8	8	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	5	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1983-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																								
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN	
E800-E949 ACCIDENTS																										
MALE.....	56	1	-	-	3	-	5	3	2	3	7	4	7	8	3	4	2	2	2	-	2	-	2	-	-	
FEMALE.....	22	-	-	1	-	-	1	-	2	3	-	2	2	-	-	2	-	1	1	2	3	1	2	-	-	
E810-E825 MOTOR VEHICLE ACCIDENTS																										
MALE.....	15	-	-	-	-	-	-	1	1	1	2	2	2	-	1	1	-	2	-	-	-	-	-	-	-	
FEMALE.....	8	-	-	-	-	-	-	-	2	2	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	
E910 ACCIDENTAL DROWNING AND SUBMERSION																										
MALE.....	11	-	-	-	-	1	1	-	1	1	2	-	1	2	2	1	-	-	-	-	-	-	-	-	-	
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																										
MALE.....	6	-	-	-	-	-	-	-	1	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	
FEMALE.....	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
E960-E978 HOMICIDE AND LEGAL INTERVENTION																										
MALE.....	46	-	-	1	-	-	1	-	-	5	11	15	2	5	3	1	1	1	1	-	-	-	-	-	-	
FEMALE.....	8	-	-	-	-	1	1	-	-	3	1	1	1	1	-	1	-	1	-	-	-	-	-	-	-	
ALL OTHER CAUSES																										
MALE.....	92	6	-	1	1	-	8	-	-	1	1	4	11	11	7	2	7	3	7	7	10	2	6	5	-	
FEMALE.....	57	2	-	-	-	-	2	1	-	-	2	7	3	4	1	3	4	4	2	5	5	5	3	6	-	

- NO DEATHS REPORTED

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1983

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON- WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONCENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
CONNECTICUT.....	412	100	191	78	48	47	48	93	227	38	16	46	46
HSA 1 SOUTHWESTERN..	76	24	41	11	3	9	12	14	42	14	5	10	10
BRIDGEPORT	32	11	16	4	-	7	5	5	15	3	4	9	3
DARIEN	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTON	-	-	-	-	-	-	-	-	-	-	-	-	-
FAIRFIELD	2	-	-	1	-	-	1	1	-	-	-	1	-
GREENWICH	2	-	1	1	-	-	-	-	2	1	-	-	-
MONROE	1	-	1	-	-	-	-	-	-	-	-	-	1
NEW CANAAN	1	-	1	-	-	-	-	-	1	-	-	-	-
NORWALK	9	3	5	1	1	-	2	3	4	1	-	-	2
STAMFORD	19	9	11	2	1	2	3	4	12	7	-	-	3
STRAITFORD	5	1	2	1	1	-	1	-	4	-	-	-	1
TRUMBULL	3	-	2	1	-	-	-	1	2	-	1	-	-
WESTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTPORT	2	-	2	-	-	-	-	-	2	2	-	-	-
WILTON	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 2 SOUTH CENTRAL..	86	31	38	19	10	10	9	17	49	6	5	10	10
ANSONIA	2	-	1	1	-	-	-	-	2	-	-	-	-
BETHANY	1	-	1	-	-	-	-	-	1	-	-	-	-
BRANFORD	2	-	-	1	-	1	-	-	1	-	-	1	-
DERBY	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HAVEN	1	-	1	-	-	-	-	-	1	-	-	-	-
GUILFORD	2	-	-	2	-	-	-	-	2	-	1	-	-
HAMDEN	4	2	1	1	-	-	2	1	1	-	1	1	1
MADISON	1	-	1	-	-	-	-	1	-	-	-	-	-
MERIDEN	8	-	4	1	-	2	1	2	4	1	1	2	-
MILFORD	5	-	2	1	-	2	-	-	3	1	1	1	1
NEW HAVEN	40	23	19	7	6	3	5	10	23	4	1	4	3
NORTH BRANFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH HAVEN	2	-	-	1	-	1	-	-	-	-	-	-	2
ORANGE	-	-	-	-	-	-	-	-	-	-	-	-	-
OXFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
SEYMOUR	-	-	-	-	-	-	-	-	-	-	-	-	-
SHELTON	5	-	3	1	1	-	-	-	5	-	-	-	-
WALLINGFORD	2	-	-	2	-	-	-	1	1	-	-	-	-
WEST HAVEN	10	6	5	1	2	1	1	1	5	-	-	1	3
WOODBIDGE	1	-	-	-	1	-	-	1	-	-	-	-	-
HSA 3 EASTERN.....	77	6	33	19	7	10	8	21	36	8	2	10	10
ASHFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
BOZRAH	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTERBURY	1	-	-	-	-	1	-	1	-	-	-	-	-
CHAPLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESTER	1	-	1	-	-	-	-	-	1	-	-	-	-
CLINTON	2	-	1	1	-	-	-	1	1	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1983-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIGIN IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
COLCHESTER	2	-	-	2	-	-	-	1	1	-	-	-	-
COLUMBIA	-	-	-	-	-	-	-	-	-	-	-	-	-
COVENTRY	2	-	2	-	-	-	-	-	2	1	-	-	-
CROMWELL	-	-	-	-	-	-	-	-	-	-	-	-	-
DEEP RIVER	-	-	-	-	-	-	-	-	-	-	-	-	-
DURHAM	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM	3	-	1	1	-	1	-	-	1	-	-	2	-
EAST HAMPTON	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST LYME	2	-	-	1	-	1	-	-	1	-	-	1	-
ESSEX	-	-	-	-	-	-	-	-	-	-	-	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD	1	-	-	1	-	-	-	-	1	-	-	-	-
GROTON	8	-	5	-	1	1	1	3	2	1	-	1	2
HADDAM	1	-	1	-	-	-	-	-	1	-	-	-	-
HAMPTON	-	-	-	-	-	-	-	-	-	-	-	-	-
KILLINGLY	1	-	-	1	-	-	-	-	1	-	-	-	-
KILLINGWORTH	2	-	-	-	1	-	1	1	-	-	-	1	1
LEBANON	1	-	-	-	-	-	1	-	-	-	-	-	-
LEDYARD	1	-	1	-	-	-	-	-	1	-	1	-	-
LISBON	2	-	-	-	-	1	1	1	-	-	-	1	-
LYME	-	-	-	-	-	-	-	-	-	-	-	-	-
MANSFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLEFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLETOWN	5	1	2	2	-	1	-	1	3	1	-	-	1
MONTVILLE	5	-	-	1	3	-	1	2	1	-	-	1	1
NEW LONDON	5	3	2	3	-	-	-	2	2	1	1	-	1
N STONINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
NORWICH	9	-	3	2	1	3	-	2	4	2	-	3	-
OLD LYME	1	-	-	1	-	-	-	1	-	1	-	-	-
OLD SAYBROOK	1	-	1	-	-	-	-	-	1	-	-	-	-
PLAINFIELD	4	-	3	1	-	-	-	2	2	1	-	-	-
POMFRET	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND	1	-	1	-	-	-	-	-	1	-	-	-	-
PRESTON	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM	1	-	1	-	-	-	-	-	1	-	-	-	-
SALEM	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE	-	-	-	-	-	-	-	-	-	-	-	-	-
STERLING	1	1	1	-	-	-	-	-	1	-	-	-	-
STONINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
THOMPSON	2	-	1	-	-	-	1	-	1	-	-	-	1
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERFORD	2	-	1	1	-	-	-	-	2	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1983-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON- WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
WESTBROOK	1	-	1	-	-	-	-	-	1	-	-	-	-
WILLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WINDHAM	9	1	4	1	1	1	2	3	3	1	-	-	3
WOODSTOCK	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 4 NORTH CENTRAL	118	31	57	18	19	8	16	28	68	5	4	11	11
ANDOVER	1	-	-	1	-	-	-	-	1	-	-	-	-
AVON	-	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN	1	-	1	-	-	-	-	1	-	-	-	-	-
BLOOMFIELD	6	4	4	1	-	-	1	1	4	-	-	1	-
BOLTON	-	-	-	-	-	-	-	-	-	-	-	-	-
BRISTOL	8	-	3	2	1	1	1	2	4	-	-	-	2
BURLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTON	1	-	1	-	-	-	-	1	-	-	-	-	-
EAST GRANBY	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HARTFORD	7	1	2	-	1	2	2	2	3	-	-	-	2
EAST WINDSOR	1	-	1	-	-	-	-	1	-	-	-	-	-
ELLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
ENFIELD	5	-	5	-	-	-	-	1	4	-	-	-	-
FARMINGTON	3	-	2	-	1	-	-	2	1	-	-	-	-
GLASTONBURY	2	-	1	1	-	-	-	-	2	-	1	-	-
GRANBY	1	-	1	-	-	-	-	1	-	-	-	-	-
HARTFORD	43	23	19	8	7	2	7	7	27	1	1	4	5
HARTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
HEBRON	1	-	-	-	-	1	-	-	-	-	-	1	-
MANCHESTER	3	1	2	-	-	-	1	1	1	-	1	-	1
MARLBOROUGH	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW BRITAIN	7	1	4	1	1	-	1	2	4	2	-	1	-
NEWINGTON	3	-	3	-	-	-	-	-	3	-	1	-	-
PLAINVILLE	1	1	-	1	-	-	-	-	1	-	-	-	-
PLYMOUTH	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY HILL	3	-	1	1	-	-	1	1	2	-	-	-	-
SIMSBURY	3	-	2	1	-	-	-	-	3	-	1	-	-
SOMERS	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHINGTON	4	-	2	-	1	1	-	1	2	-	-	1	-
SOUTH WINDSOR	-	-	-	-	-	-	-	-	-	-	-	-	-
STAFFORD	1	-	1	-	-	-	-	-	1	-	-	-	-
SUFFIELD	1	-	-	-	1	-	-	-	1	-	-	-	-
TOLLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	2	-	1	-	1	-	-	1	1	1	-	-	-
WEST HARTFORD	4	-	-	-	2	1	1	1	-	-	-	3	-
WETHERSFIELD	2	-	1	-	1	-	-	-	1	-	-	-	1
WINDSOR	3	-	-	1	1	-	1	1	2	-	-	-	-
WINDSOR LOCKS	1	-	-	-	1	-	-	1	-	-	-	-	-
HSA 5 NORTHWESTERN	55	8	22	11	9	10	3	13	32	5	-	5	5
BARKHAMSTED	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1983-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIGIN IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
BEACON FALLS	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHEL	2	-	2	-	-	-	-	-	2	1	-	-	-
BETHLEHEM	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESTER	3	-	3	-	-	-	-	-	3	-	-	-	-
COLLEBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY	8	4	5	1	1	1	-	3	4	1	-	1	-
GOSHEN	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT	-	-	-	-	-	-	-	-	-	-	-	-	-
LITCHFIELD	4	-	1	1	1	1	-	2	2	-	-	-	-
MIDDLEBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
MORRIS	-	-	-	-	-	-	-	-	-	-	-	-	-
NAUGATUCK	3	-	-	1	1	1	-	1	1	-	-	-	1
NEW FAIRFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW HARTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW MILFORD	1	-	-	-	1	-	-	-	1	-	-	-	-
NEWTOWN	3	-	1	-	1	-	1	1	2	-	-	-	-
NORFOLK	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-
PROSPECT	-	-	-	-	-	-	-	-	-	-	-	-	-
REDDING	-	-	-	-	-	-	-	-	-	-	-	-	-
RIDGEFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
ROXBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SHARON	-	-	-	-	-	-	-	-	-	-	-	-	-
SHERMAN	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHBURY	1	-	1	-	-	-	-	-	1	-	-	-	-
THOMASTON	2	-	1	1	-	-	-	-	2	-	-	-	-
TORRINGTON	3	-	1	2	-	-	-	-	3	-	-	-	-
WARREN	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON	2	-	1	-	-	1	-	1	1	1	-	-	-
WATERBURY	17	4	4	3	3	6	1	5	5	-	-	4	3
WATERTOWN	2	-	1	1	-	-	-	-	2	1	-	-	-
WINCHESTER	1	-	-	-	-	-	1	-	-	-	-	-	1
WOLCOTT	-	-	-	-	-	-	-	-	-	-	-	-	-
WOODBURY	3	-	1	1	1	-	-	-	3	1	-	-	-

- NO DEATHS REPORTED

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1983

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES.....	412	191	78	25	13	10	317	28	19	8	4	9	6	7	4	5	1	4
MALE.....	241	112	46	15	9	6	188	18	13	4	2	6	-	2	3	-	1	4
FEMALE.....	171	79	32	10	4	4	129	10	6	4	2	3	6	5	1	5	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-139 INFECTIVE AND PARASITIC DISEASES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-208 MALIGNANT NEOPLASMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-398, 402, 404-429 DISEASES OF THE HEART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE.....	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE.....	4	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE.....	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE.....	4	-	1	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486 PNEUMONIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE.....	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE.....	3	-	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
487 INFLUENZA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1983-Continued

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
520-579 DISEASES OF THE DIGESTIVE SYSTEM																		
MALE.....	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE.....	58	17	16	6	4	3	46	3	1	1	-	2	-	2	1	-	-	2
FEMALE.....	35	14	8	4	1	3	30	1	-	2	-	-	1	-	-	1	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE.....	132	89	28	8	2	-	127	2	1	1	-	-	-	-	-	-	-	1
FEMALE.....	95	64	21	4	3	-	92	1	1	-	1	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE.....	21	21	-	-	-	-	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	17	14	2	-	1	-	17	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767 BIRTH TRAUMA																		
MALE.....	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE.....	10	8	2	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	6	5	-	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE.....	28	2	-	1	3	2	8	8	9	-	-	2	-	-	1	-	-	-
FEMALE.....	18	-	1	1	-	1	3	3	4	1	1	2	2	1	-	1	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1983-Continued

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
E800-E949 ACCIDENTS																		
MALE.....	4	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	1
FEMALE.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
E911-E912 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT																		
MALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E913 ACCIDENTAL MECHANICAL SUFFOCATION																		
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																		
MALE.....	14	3	1	-	-	-	4	3	1	2	2	1	-	-	-	-	1	-
FEMALE.....	10	1	1	1	-	-	3	2	1	-	-	-	2	-	1	1	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1983-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES.....	100	56	15	4	1	2	78	8	3	1	2	2	1	2	1	1	-	1
MALE.....	64	38	8	3	1	1	51	5	2	-	2	1	-	1	1	-	-	1
FEMALE.....	36	18	7	1	-	1	27	3	1	1	-	1	1	1	-	1	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-139 INFECTIVE AND PARASITIC DISEASES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-208 MALIGNANT NEOPLASMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-598, 402, 404-429 DISEASES OF THE HEART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE.....	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE.....	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486 PNEUMONIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE.....	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
467 INFLUENZA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1983-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
520-579 DISEASES OF THE DIGESTIVE SYSTEM																		
MALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE.....	9	4	3	-	-	-	7	-	-	-	-	-	-	1	-	-	-	1
FEMALE.....	5	3	1	-	-	1	5	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE.....	39	31	4	3	-	-	38	1	-	-	-	-	-	-	-	-	-	-
FEMALE.....	21	15	6	-	-	-	21	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE.....	7	7	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	5	4	1	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767 BIRTH TRAUMA																		
MALE.....	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE.....	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE.....	8	2	-	-	1	1	4	3	1	-	-	-	-	-	-	-	-	-
FEMALE.....	5	-	-	1	-	-	1	1	-	-	-	1	1	-	-	1	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1983-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
E800-E949 ACCIDENTS																		
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E911-E912 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT																		
MALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E913 ACCIDENTAL MECHANICAL SUFFOCATION																		
MALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																		
MALE.....	5	1	-	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-
FEMALE.....	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO DEATHS REPORTED

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1983

Causes of Death (ICD 9th Revision)	Total Deaths	Age Specific Death	Cause Per Cent	Male Deaths	Age Specific Male	Cause Per Cent	Female Deaths	Age Specific Female	Cause Per Cent
		Rate Per 100,000	Within Age Group		Rate Per 100,000	Within Male Age Group		Rate Per 100,000	Within Female Age Group
All Causes (under 1 year)*	412	10.0	100.0	241	11.3	100.0	171	8.7	100.0
Certain conditions originating in perinatal period (760-779)	227	552.9	55.1	132	619.0	54.8	95	481.5	55.6
Congenital anomalies (740-759)	93	226.5	22.6	58	272.0	24.1	35	177.4	20.5
Sudden infant death syndrome (798.0)	46	112.0	11.2	28	131.3	11.6	18	91.2	10.5
Accidents, total (E800-E949)	7	17.0	1.7	4	18.8	1.7	3	15.2	1.8
Diseases of the heart (390-398, 402, 404-429)	6	14.6	1.5	2	9.4	0.8	4	20.3	2.3
All other causes	33	80.4	8.0	17	79.7	7.1	16	81.1	9.4
All Causes (1-14 years)	134	23.3	100.0	92	31.4	100.0	42	14.9	100.0
Accidents, total (E800-E949)	53	9.2	39.6	40	13.7	43.5	13	4.6	31.0
Malignant neoplasms (140-208)	18	3.1	13.4	12	4.1	13.0	6	2.1	14.3
Congenital anomalies (740-759)	10	1.7	7.5	6	2.0	6.5	4	1.4	9.5
Homicides and legal intervention (E960-E978)	10	1.7	7.5	8	2.7	8.7	2	0.7	4.8
Diseases of the heart (390-398, 402, 404-429)	5	0.9	3.7	3	1.0	3.3	2	0.7	4.8
All other causes	38	6.6	28.4	23	7.9	25.0	15	5.3	35.7
All Causes (15-24 years)	472	87.3	100.0	357	131.3	100.0	115	42.8	100.0
Accidents, total (E800-E949)	239	44.2	50.6	194	71.3	54.3	45	16.7	39.1
Suicides (E950-E959)	60	11.1	12.7	52	19.1	14.6	8	3.0	7.0
Homicides and legal intervention (E960-E978)	56	10.4	11.9	42	15.4	11.8	14	5.2	12.2
Malignant neoplasms (140-208)	31	5.7	6.6	15	5.5	4.2	16	6.0	13.9
Diseases of the heart (390-398, 402, 404-429)	9	1.7	1.9	7	2.6	2.0	2	0.7	1.7
Cerebrovascular disease (430-438)	6	1.1	1.3	3	1.1	0.8	3	1.1	2.6
All other causes	71	13.1	15.0	44	16.2	12.3	27	10.0	23.5
All Causes (25-44)	1,222	132.4	100.0	827	183.0	100.0	395	83.8	100.0
Malignant Neoplasms (140-208)	254	27.5	20.8	108	23.9	13.1	146	31.0	37.0
Accidents, total (E800-E949)	232	25.1	19.0	190	42.1	23.0	42	8.9	10.6
Diseases of the heart (390-398, 402, 404-429)	151	16.4	12.4	120	26.6	14.5	31	6.6	7.8
Suicides (E950-E959)	100	10.8	8.2	80	17.7	9.7	20	4.2	5.1
Homicides and legal intervention (E960-E978)	62	6.7	5.1	52	11.5	6.3	10	2.1	2.5
Chronic liver disease and cirrhosis (571)	48	5.2	3.9	31	6.9	3.7	17	3.6	4.3
Cerebrovascular disease (430-438)	40	4.3	3.3	26	5.8	3.1	14	3.0	3.5
Diabetes mellitus (250)	20	2.2	1.6	14	3.1	1.7	6	1.3	1.5
All other causes	315	34.1	25.8	206	45.6	24.9	109	23.1	27.6

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1983 cont'd.

Causes of Death (ICD 9th Revision)	Total Deaths	Age Specific Death Rate Per 100,000	Cause Per Cent Within Age Group	Male Deaths	Age Specific Male Rate Per 100,000	Cause Per Cent Within Male Age Group	Female Deaths	Age Specific Female Rate Per 100,000	Cause Per Cent Within Female Age Group
All Causes (45-64 years)	5,199	788.3	100.0	3,234	1025.0	100.0	1,965	571.2	100.0
Malignant neoplasms (140-208)	1,912	289.9	36.8	1,014	321.4	31.4	898	261.0	45.7
Diseases of the heart (390-398, 402, 404-429)	1,741	264.0	33.5	1,283	406.7	39.7	458	133.1	23.3
Cerebrovascular disease (430-438)	192	29.1	3.7	95	30.1	2.9	97	28.2	4.9
Chronic liver disease and cirrhosis (571)	174	26.4	3.3	117	37.1	3.6	57	16.6	2.9
Accidents, total (E800-E949)	154	23.3	3.0	107	33.9	3.3	47	13.7	2.4
Chronic obstructive pulmonary disease and allied conditions (490-496)	147	22.3	2.8	86	27.3	2.7	61	17.7	3.1
Diabetes mellitus (250)	88	13.3	1.7	50	15.8	1.5	38	11.0	1.9
Suicide (E950-E959)	66	10.0	1.3	49	15.5	1.5	17	4.9	0.9
Pneumonia and influenza (480-487)	49	7.4	0.9	29	9.2	0.9	20	5.8	1.0
All other causes	676	102.5	13.0	414	131.2	12.8	272	79.1	13.8
All Causes (65 years and over)	19,687	4,939.4	100.0	9,189	5871.6	100.0	10,498	4336.8	100.0
Diseases of the heart (390-398, 402, 404-429)	8,449	2,119.8	42.9	3,769	2408.3	41.0	4,680	1933.3	44.6
Malignant neoplasms (140-208)	4,343	1,089.6	22.1	2,299	1469.0	25.0	2,044	844.4	19.5
Cerebrovascular disease (430-438)	1,682	422.0	8.5	604	385.9	6.6	1,078	445.3	10.3
Influenza and pneumonia (480-487)	767	192.4	3.9	363	231.9	4.0	404	166.9	3.8
Chronic obstructive pulmonary diseases and allied conditions (490-496)	667	167.3	3.4	422	269.6	4.6	245	101.2	2.3
Diabetes Mellitus (250)	391	98.1	2.0	145	92.7	1.6	246	101.6	2.3
Atherosclerosis (440)	338	84.8	1.7	121	77.3	1.3	217	89.6	2.1
Accidents, total (E800-E949)	285	71.5	1.4	130	83.1	1.4	155	64.0	1.5
Septicemia (038)	203	50.9	1.0	100	63.9	1.1	103	42.5	1.0
All other causes	2,562	642.8	13.0	1,236	789.8	13.5	1,326	547.8	12.6

*Rates for persons under one year per 1,000 live births.

TABLE 12: NUMBER OF PRESENT MARRIAGE FOR BRIDE AND GROOM IN MARRIAGES
OCCURRING IN CONNECTICUT, 1983

Number for Bride	TOTAL	First	Second	Third	Fourth	Fifth	Sixth	Unknown
TOTAL	26,844	18,244	7,356	1,064	122	14	1	43
First	18,918	15,640	2,950	280	26	1	-	21
Second	6,793	2,352	3,791	570	59	7	-	14
Third	947	200	524	185	30	6	1	1
Fourth	111	20	63	23	5	-	-	-
Fifth	16	2	8	4	2	-	-	-
Sixth	2	1	1	-	-	-	-	-
Seventh	1	-	1	-	-	-	-	-
Unknown	56	29	18	2	-	-	-	7

TABLE 13: MARITAL STATUS OF BRIDE AND GROOM IN MARRIAGES
OCCURRING IN CONNECTICUT, 1983

Previous Marital Status of Bride	Previous Marital Status of Groom					
	TOTAL	Single	Widowed	Divorced	Annulled	Unknown
TOTAL	26,844	18,244	771	7,580	121	128
Single	18,918	15,640	118	3,021	78	61
Widowed	732	128	313	284	4	3
Divorced	6,890	2,315	334	4,177	30	34
Annulled	102	61	1	32	8	-
Unknown	202	100	5	66	1	30

TABLE 14: COUNTY OF DISSOLUTION OF MARRIAGES
CONNECTICUT, 1983

COUNTY	TOTAL
CONNECTICUT, TOTAL	12,027
Fairfield	2,675
Hartford	3,052
Litchfield	514
Middlesex	583
New Haven	2,975
New London	1,236
Tolland	632
Windham	360
Sex of Complainant:	
Male	3,872
Female	7,887
Not Stated	268

TABLE 15: CHILDREN UNDER 18
AFFECTED BY MARRIAGE DISSOLUTION
CONNECTICUT, 1983

Number of Children Under 18 Years Per Dissolution	Number of Dissolutions
Total	12,027
No children	5,293
One child	2,993
Two children	2,454
Three children	723
Four children	160
Five children	33
Six or more children	11
Not Stated	360

TABLE 16: DURATION OF MARRIAGES DISSOLVED
CONNECTICUT, 1983

Year Marriage Was Contracted	Number Marriages Dissolved	Year Marriage Was Contracted	Number of Marriages Dissolved
TOTAL	12,027	1969	370
1983	61	1968	316
1982	521	1967	312
1981	853	1966	264
1980	970	1965	259
1979	903	1964-1960	1,028
1978	794	1959-1955	655
1977	689	1954-1950	333
1976	633	1949-1945	154
1975	512	1944-1940	60
1974	486	1939-1935	20
1973	501	1934-1930	6
1972	473	Prior to 1930	8
1971	402	Unknown	52
1970	392		

GLOSSARY

Birth Weight	Weight of fetus or infant at a time of delivery.
Fetal Death	Death prior to the complete expulsion of extraction from the mother of a product of conception, which has passed through at least the 20th week of gestation. The fetus shows no signs of life such as heartbeat, pulsation of the umbilical cord, or movement of voluntary muscles.
Gestational Period	Number of weeks elapsed between the first day of the last menstrual period and date of delivery.
Infant Death	Death occurring to an individual of less than 1 year of age.
Live Birth	The complete expulsion or extraction from the mother of a product of conception, irrespective of the duration of pregnancy; after such separation, breathes or show other signs of life.
Low Birth Weight	Birth wherein the birth weight is equivalent to 2,500 grams or less (approximately 5 lbs. 8 oz.).
Maternal Death	Those deaths wherein the physician has designated a maternal condition as the underlying cause of death.
Neonatal Death	Death occurring to an infant less than 28 days of age.
Occurrence	Place where the event actually occurred regardless of residence.
Residence	Usual place of residence for person to whom event occurred. For births and fetal deaths residence is defined as the mother's usual place of residence.

RATES

Age-Adjusted Death Rate:	Sum of (Age-Specific Death Rates X Proportion of Standard Population in Specific Age Group)
Age-Specific Birth Rate:	$\frac{\text{No. of Resident Live Births for a Specific Age of Mother}}{\text{Total Female Population of Specific Age}} \times 1,000$
Age-Specific Death Rate:	$\frac{\text{No. of Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}} \times 100,000$
Crude Birth Rate:	$\frac{\text{No. of Resident Live Births}}{\text{Total Resident Population}} \times 1,000$
Crude Death Rate:	$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Population}} \times 1,000$
Divorce Rate:	$\frac{\text{No. of Persons (Divorces & Annulments)}}{\text{Total Resident Population}} \times 1,000$
Fetal Death Ratio:	$\frac{\text{Fetal Deaths at Place of Occurrence}}{\text{Total of Births at Place of Occurrence}} \times 1,000$
Infant Death Rate:	$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Live Births}} \times 1,000$
Marriage Rate:	$\frac{\text{No. of Persons Married}}{\text{Total Resident Population}} \times 1,000$